Chapter 681

SEWERS

ARTICLE I Sewage and Land Drainage	§ 681-13.1. Powers and authority of the General Manager or Inspector.	
§ 681-1. Definitions.	•	
§ 681-1.1. Administration.	§ 681-13.2. General prohibitions and liability for damage.	
§ 681-2. Sanitary and combined sewer requirements.	§ 681-14. Offences.	
§ 681-3. Prohibition of dilution.	§ 681-14.1. Penalties.	
§ 681-4. Storm sewer requirements.	§ 681-14.2. General enforcement powers.	
§ 681-5. Pollution prevention planning.	§ 681-14.3. Document retention.	
§ 681-6. Agreements.	§ 681-14.4. Notice.	
§ 681-7. Compliance program.	§ 681-14.5. Severability.	
§ 681-8. Sampling and analytical requirements.	§ 681-15. Repealer; impact on existing agreements; effective dates.	
§ 681-9. Spills.	Chapter 681, Article I, Appendix 1, Subject Sectors	
§ 681-10. General.	Chapter 681, Article I, Appendix 2 Subject Pollutants	
§ 681-11. Sewer connections.		
§ 681-12. Confidential information.	Chapter 681, Article I, Attachment 1 City of Toronto Combined Sewe Service Area	
§ 681-12.1. Contact information.		
§ 681-12.2. Access.	Chapter 681, Article I, Attachment 2,	
§ 681-13. Self-monitoring and	City of Toronto Basement Flooding	

[HISTORY: Adopted by the Council of the City of Toronto as indicated in article histories. Amendments noted where applicable.]

sampling.

681-1 2010 - 07 - 08

Areas (Outside the CSO Areas)

§ 681-1

GENERAL REFERENCES

Water and sewage services — See Ch. 849.

Water supply — See Ch. 851.

ARTICLE I

Sewage and Land Drainage [Adopted 2000-07-06 by By-law No. 457-2000¹]

§ 681-1. Definitions.

As used in this article, the following terms shall have the meanings indicated:

ACCREDITED LABORATORY — Any laboratory accredited by an authorized accreditation body in accordance with a standard based on "ISO/IEC/EN 17025: General Requirements for Competence of Calibration and Testing Laboratories" established by the International Organization for Standardization, as amended. [Added 2005-10-28 by By-law No. 867-2005]

ACUTE HAZARDOUS WASTE CHEMICALS — Acute hazardous waste chemicals within the meaning of O. Reg. 347, as amended from time to time, made under the *Environmental Protection Act*, R.S.O. 1990, c. E.19 (EPA).

BEST MANAGEMENT PRACTICES (BMP) — An integrated plan to control and reduce the release of restricted and prohibited waste into the sewage works to a practicable extent, through methods including physical controls, pre-treatment processes, operational procedures and staff training. [Added 2005-10-28 by By-law No. 867-2005]

BIOCHEMICAL OXYGEN DEMAND (BOD) — The five-day BOD which is the determination of the molecular oxygen utilized during a five-day incubation period for the biochemical degradation of organic material (carbonaceous demand), and the oxygen used to oxidize inorganic material such as sulphides and ferrous iron, and the amount of oxygen used to oxidize reduced forms of nitrogen (nitrogenous demand).

BIOMEDICAL WASTE — Biomedical waste as defined in the Ontario Ministry of the Environment Guideline C-4 entitled "The Management of Biomedical Waste in Ontario" dated April 1994, as amended from time to time. [Added 2005-10-28 by By-law No. 867-2005]

BIOSOLIDS — Organic solid material recovered from the wastewater treatment process.

BLOWDOWN WATER — Recirculating water that is discharged from a cooling or heating water system for the purpose of controlling the level of water in the system

_

 $^{^{\}rm 1}$ Editor's Note: See \S 681-15 for by-laws repealed by this by-law and for effective date information.

§ 681-1

or for the purpose of discharging from the system materials contained in the system, the further build-up of which would or might impair the operation of the system.

COMBINED SEWER — A sewer intended to function simultaneously as a storm sewer and a sanitary sewer.

COMBUSTIBLE LIQUID — A liquid that has a flash point not less than 37.8 degrees Celsius and not greater than 93.3 degrees Celsius.²

COMPOSITE SAMPLE — A volume of sewage, storm water, uncontaminated water or effluent made up of three or more grab samples that have been combined automatically or manually and taken at intervals during the sampling periods.

CONNECTION or DRAIN — That part or those parts of any pipe or system of pipes leading directly to a sewage works.³

DENTAL AMALGAM — A dental filling material consisting of an amalgam of mercury, silver and other materials such as copper, tin or zinc. [Added 2005-10-28 by By-law No. 867-2005]

DENTAL AMALGAM SEPARATOR — Any technology, or combination of technologies, designed to separate dental amalgam particles from dental operation wastewater. [Added 2005-10-28 by By-law No. 867-2005]

DOUBLE MUNICIPAL SEWER CONNECTION — A municipal sewer connection providing service to two or more premises.

FUELS — Alcohol, gasoline, naphtha, diesel fuel, fuel oil or any other ignitable substance intended for use as a fuel.

GENERAL MANAGER — The person appointed by the City from time to time as the General Manager of Toronto Water, and his or her successors or his or her duly authorized representative. [Added 2005-10-28 by By-law No. 867-2005]

GRAB SAMPLE — A minimum volume of sewage, storm water, uncontaminated water or effluent suitable for analytical testing which is collected over a period not exceeding 15 minutes. [Amended 2009-03-31 by By-law No. 358-2009]

GROUND WATER — Water beneath the earth's surface accumulating as a result of seepage.

681-3 2010 - 07 - 08

² Editor's Note: The definition of "Commissioner," which previously followed this definition, amended 2005-10-28 by By-law No. 867-2005, was repealed 2007-06-22 by By-law No. 704-2007. In addition, By-law No. 704-2007 amended this article to change "Commissioner" to "General Manager."

³ Editor's Note: The definition of "cooling water," which immediately followed this definition, was repealed 2010-07-08 by Bylaw No. 868-2010.

HAULED SEWAGE — Waste removed from a sewage system, including a cesspool, a septic tank system, a privy vault or privy pit, a chemical toilet, a portable toilet or a sewage holding tank.

HAULED WASTE — Any industrial waste which is transported to and deposited into any location in the sewage works, excluding hauled sewage.

HAZARDOUS INDUSTRIAL WASTE — Hazardous industrial waste within the meaning of O. Reg. 347, as amended from time to time, made under the *Environmental Protection Act*, R.S.O. 1990, c. E.19 (EPA).

HAZARDOUS WASTE CHEMICALS — Hazardous waste chemicals within the meaning of O. Reg. 347, as amended from time to time, made under the *Environmental Protection Act*, R.S.O. 1990, c. E.19 (EPA).

IGNITABLE WASTE — A substance that:

- A. Is a liquid, other than an aqueous solution containing less than 24 percent alcohol by volume and has a flash point less than 93 degrees Celsius, as determined by the Tag Closed Cup Tester (ASTM D-56-97a), the Setaflash Closed Cup Tester (ASTM D-3828-97 or ASTM D-3278-96e1), the Pensky-Martens Closed Cup Tester (ASTM D-93-97), or as determined by an equivalent test method;
- B. Is a solid and is capable, under standard temperature and pressure, of causing fire through friction, absorption of moisture or spontaneous chemical changes and, when ignited, burns so vigorously and persistently that it creates a danger;
- C. Is an ignitable compressed gas (Class 2, Division D) as defined in the regulations under the *Transportation of Dangerous Goods Act*, 1992, S.C. 1992, as amended; or
- D. Is an oxidizing substance (Class 5, Divisions 1 and 2) as defined in the regulations under the *Transportation of Dangerous Goods Act*, 1992, S.C. 1992, as amended.

INDUSTRIAL — Of or pertaining to manufacturing, commerce, trade, business or institutions as distinguished from domestic or residential.

INDUSTRY — Any owner or operator of premises which carry on operations or activities of an industrial, commercial, non-profit or institutional nature or purpose and from which there is a discharge of any matter directly or indirectly into a City sanitary sewer, combined sewer or storm sewer. [Amended 2010-07-08 by By-law No. 868-2010]

681-4 2010 - 07 - 08

§ 681-1

INSPECTOR — A person authorized by the City to carry out observations and inspections and take samples as prescribed by this article. [Added 2005-10-28 by By-law No. 867-2005]

INTERCEPTOR — A receptacle that is designed and installed to prevent oil, grease, sand or other materials from passing into a drainage system. [Added 2008-06-24 by By-law No. 577-2008]

MAINTENANCE ACCESS HOLE — An access point in a private sewer connection to allow for observation, sampling and flow measurement of the sewage, uncontaminated water or storm water therein.

MATTER — Includes any solid, liquid or gas.

MUNICIPAL SEWER CONNECTION — That part of any drain leading from the private sewer connection and connected to the municipal sewer and located within the limits of the public road allowance, or other public lands or public land interests held for sewerage purposes.

NON-CONTACT COOLING WATER — Water which is used to reduce temperature for the purpose of cooling and which does not come into direct contact with any raw material, intermediate product other than heat, or finished product. [Added 2002-10-31 by By-law No. 855-2002]

PATHOLOGICAL WASTE — Pathological waste within the meaning of O. Reg. 347, as amended from time to time, made under the *Environmental Protection Act*, R.S.O. 1990, c. E.19 (EPA).

PCBs — Any monochlorinated or polychlorinated biphenyl or any mixture of them or mixture that contains one or more of them.

PERSON — An individual, association, partnership, corporation, municipality or an agent or employee of such a person.

PESTICIDE — A pesticide regulated under the *Pesticides Act*, R.S.O. 1990, c. P.11 (PA).

POLLUTION PREVENTION — The use of processes practices, materials, products or energy that avoid or minimize the creation of pollutants and wastes, at the source.

POLLUTION PREVENTION PLAN or PLAN — A detailed six-year plan that identifies operations or activities of an owner or operator of commercial, institutional or industrial premises identifying specific pollution prevention methods, as described in § 681-5 of this article.

POLLUTION PREVENTION PLAN SUMMARY or PLAN SUMMARY — A summary of the pollution prevention plan and a brief summary of an owner's or

§ 681-1

operator's progress towards its three- and six-year pollution prevention goals, as described in § 681-5 of this article.

PRIVATE SEWER CONNECTION — That part of any drain or system of drains, including drains or subsurface drainage pipe for surface or subsurface drainage of the land in or adjacent to a building, lying within the limits of the private lands and leading to a municipal sewer connection.

REACTIVE WASTE — A substance that:

- A. Is normally unstable and readily undergoes violent changes without detonating;
- B. Reacts violently with water;
- C. Forms potentially explosive mixtures with water;
- D. When mixed with water, generates toxic gases, vapours or fumes in a quantity sufficient to present danger to human health or the environment;
- E. Is a cyanide or sulphide bearing waste which, when exposed to pH conditions between 2 and 12.5, can generate toxic gases, vapours or fumes in a quantity sufficient to present danger to human health or the environment;
- F. Is capable of detonation or explosive reaction if it is subjected to a strong initiating source or if heated under confinement;
- G. Is readily capable of detonation or explosive decomposition or reaction at standard temperature and pressure; or
- H. Is an explosive (Class 1) as defined in the regulations under the *Transportation of Dangerous Goods Act, 1992*, S.C. 1992, as amended.

SANITARY SEWER — A sewer for the collection and transmission of domestic or industrial sewage or any combination thereof.

SEVERELY TOXIC WASTE — Waste containing any contaminant listed in Schedule 3 of O. Reg. 347, as amended from time to time, made under the *Environmental Protection Act*, R.S.O. 1990, c. E.19 (EPA).

SEWAGE — Any liquid waste containing animal, vegetable, mineral or chemical matter in solution or in suspension but does not include storm water or uncontaminated water.

SEWAGE WORKS — Any works for the collection, transmission, treatment and disposal of sewage, storm water or uncontaminated water, including a combined

681-6 2010 - 07 - 08

sewer, sanitary sewer or storm sewer, or any part of such works, but does not include plumbing or other works to which the *Building Code Act*, 1992⁴ applies.

SEWER — A pipe, conduit, drain, open channel or ditch for the collection and transmission of sewage, storm water or uncontaminated water, or any combination thereof. [Amended 2000-10-05 by By-law No. 869-2000]

SPILL — A direct or indirect discharge into the sewage works, storm sewer or the natural environment which is abnormal in quantity or quality in light of all the circumstances of the discharge.

STANDARD METHODS — A procedure or method set out in <u>Standard Methods</u> for the <u>Examination of Water and Wastewater</u> published jointly by the American Public Health Association, American Water Works Association and the Water Environment Federation, latest edition.

STANDARDS AND SPECIFICATIONS — City of Toronto's standard construction specifications and drawings for sewers and watermains as prescribed by the General Manager, and amended from time to time. [Added 2010-07-08 by By-law No. 868-2010]

STORM SEWER — A sewer for the collection and transmission of uncontaminated water, storm water, drainage from land or from a watercourse or any combination thereof.

STORM WATER — Water from rainfall, other natural precipitation, drainage or from the melting of snow or ice.

SUBJECT POLLUTANT — The element, material or compound listed in Appendix 2 to this article, at the end of this chapter, or designated by the City in accordance with § 681-5, Subsection O, of this article.

SUBJECT SECTOR — Any class of business or activity designated in Appendix 1 to this article, at the end of this chapter, or designated by the City in accordance with § 681-5, Subsection N, of this article.

SUBJECT SECTOR INDUSTRY — Any industry which carries out an activity listed in Appendix 1 to this article, at the end of this chapter, at its premises or at any of its premises, even if the activity is not a primary activity of the industry at any premises.

SUBSURFACE DRAINAGE PIPE — A pipe that is installed underground to intercept and convey subsurface water, and includes foundation drain pipes.

TOTAL PAHs — The calculated total of all the polycyclic aromatic hydrocarbons listed under Canada Ontario Agreement Tier I and II Substances Lists, i.e.,

_

⁴ Editor's Note: See S.O. 1992, c. 23.

§ 681-1.1

anthracene. benzo(a)pyrene, benzo(a)anthracene, benzo(e)pyrene, benzo(b)fluoranthene, benzo(j)fluoranthene, benzo(k)fluoranthene, benzo(g,h,i)perylene, dibenzo(a,h)anthracene, dibenzo(a,i)pyrene, chrysene, dibenzo(a,j)acridine, 7Hdibenzo(c,g)carbazole, dinitropyrene, fluoranthene, indeno(1,2,3-c,d)pyrene, perylene, phenanthrene, and pyrene. [Amended 2010-07-08 by By-law No. 868-2010]

UNCONTAMINATED WATER — Water with a level of quality which is typical of potable water normally supplied by the City or whose quality does not exceed the values in Table 2 – Limits for Storm Sewer Discharge of this article, in § 681-4. [Amended 2010-07-08 by By-law No. 868-2010]

WASTE DISPOSAL SITE LEACHATE — The liquid containing dissolved or suspended contaminants which emanates from waste and is produced by water percolating through waste or by liquid in waste.

WASTE RADIOACTIVE PRESCRIBED SUBSTANCES — Uranium, thorium, plutonium, neptunium, deuterium, their respective derivatives and compounds and such other substances as the Atomic Energy Control Board may by regulation designate as being capable of releasing atomic energy or as being requisite for the production, use or application of atomic energy.

WASTEWATER — Any liquid waste containing animal, vegetable, mineral or chemical matter in solution or in suspension but does not include storm water or uncontaminated water. [Added 2010-07-08 by By-law No. 868-2010]

WATERCOURSE — An open channel, ditch or depression, either natural or artificial, in which flow of water occurs either continuously or intermittently.

XYLENES — The total calculated sum of meta- and para xylene and ortho xylene. [Added 2010-07-08 by By-law No. 868-2010]

§ 681-1.1. Administration.

[Added 2007-06-22 by By-law No. 704-2007]

- A. The administration of this chapter shall be under the jurisdiction of the General Manager.
- B. The General Manager shall be authorized to prescribe any City form under this chapter and to amend or revise such forms from time to time.
- C. The General Manager shall be authorized to prescribe the form of any agreement or permit required or permitted under Chapter 681 and to amend or revise such agreements or permit, from time to time, provided that the agreement or permit, amendment(s) or revision(s), as the case may be, are in a form satisfactory to the City Solicitor. [Added 2008-06-24 by By-law No. 577-2008]

681-8 2010 - 07 - 08

§ 681-2. Sanitary and combined sewer requirements.

- A. No person shall discharge directly or indirectly or deposit or cause or permit the discharge or deposit of sewage into a sanitary sewer, combined sewer, municipal or private sewer connection to any sanitary sewer or combined sewer in circumstances where:
 - (1) To do so may cause or result in:
 - (a) A health or safety hazard to a person authorized by the General Manager to inspect, operate, maintain, repair or otherwise work on a sewage works; [Amended 2007-06-22 by By-law No. 704-2007]
 - (b) An offence under the *Ontario Water Resources Act*⁵ or the *Environmental Protection Act*,⁶ as amended from time to time, or any regulation made thereunder from time to time;
 - (c) Biosolids from the sewage works to which either sewage discharges, directly or indirectly, to fail to meet the objectives and criteria as listed in the Ministry of the Environment publication entitled "Guidelines for the Utilization of Biosolids and Other Wastes on Agricultural Land" dated March 1996, as amended from time to time;
 - (d) Interference with the operation or maintenance of a sewage works, or which may impair or interfere with any sewage treatment process;
 - (e) A hazard to any person, animal, property or vegetation;
 - (f) An offensive odour to emanate from sewage works, and without limiting the generality of the foregoing, sewage containing hydrogen sulphide, carbon disulphide, other reduced sulphur compounds, amines or ammonia in such quantity as may cause an offensive odour;
 - (g) Damage to sewage works;
 - (h) An obstruction or restriction to the flow in sewage works.
 - (2) The sewage has one or more of the following characteristics:
 - (a) A pH less than 6.0 or greater than 11.5;
 - (b) Two or more separate liquid layers; or
 - (c) A temperature greater than 60 degrees Celsius.
 - (3) The sewage contains:

681-9 **2010 - 07 - 08**

⁵ Editor's Note: See R.S.O. 1990, c. O.40.

⁶ Editor's Note: See R.S.O. 1990, c. E.19.

- § 681-2
- (a) Acute hazardous waste chemicals;
- (b) Combustible liquid;
- (b.1) Biomedical waste, except where: [Added 2005-10-28 by By-law No. 867-2005]
 - [1] The biomedical waste has been discharged in accordance with the Ontario Ministry of the Environment Guideline C-4 entitled "The Management of Biomedical Waste in Ontario" dated April 1994, as amended; and
 - [2] Any human blood and body fluids known to contain viruses and agents in listed "Risk Group 4" as defined in "Laboratory Biosafety Guidelines" published by Health and Welfare Canada, dated 1996, as amended, are decontaminated prior to discharge.
- (c) Dyes or colouring materials which may or could pass through a sewage works and discolour the sewage works effluent;
- (d) Fuel;
- (e) Hauled sewage, except where: [Amended 2007-06-22 by By-law No. 704-2007; 2008-06-24 by By-law No. 577-2008]
 - [1] The carrier enters into a hauled sewage discharge agreement with the City; and
 - [2] The carrier of the hauled sewage operating as a waste management system has a certificate of approval or provisional certificate of approval issued under the *Environmental Protection Act*, or is exempt, under the *Environmental Protection Act*, from the requirement to have a certificate or provisional certificate of approval; and
 - [3] The carrier meets all terms and conditions for the discharge of the hauled sewage that are or may be set from time to time by the General Manager or the City; and
 - [4] The discharge is in accordance with the hauled sewage discharge agreement and the requirements of § 681-6.
- (f) Hauled waste, except where:
 - [1] The carrier of the hauled waste operating as a waste management system has a certificate of approval or provisional certificate of

⁸ Editor's Note: See R.S.O. 1990, c. E.19.

681-10 2010 - 07 - 08

⁷ Editor's Note: See R.S.O. 1990, c. E.19.

- approval issued under the *Environmental Protection Act*⁹ or is exempt from the requirement to have a certificate or provisional certificate of approval;
- [2] A copy of the most recent certificate or provisional certificate and any amendment of approval is provided to the General Manager; [Amended 2007-06-22 by By-law No. 704-2007]
- [3] Hauled waste meets the conditions set out in Clauses 23(3)(c) and 25(5)(b) of O. Reg. 347, R.R.O. 1990, as amended from time to time; and
- [4] The carrier meets all conditions for discharge that are or may be set from time to time with respect to the haulage of waste by the City.
- (g) Ignitable waste.
- (h) Hazardous industrial waste.
- (i) Hazardous waste chemicals.
- (j) Pathological waste.
- (k) PCBs, except where: [Amended 2007-06-22 by By-law No. 704-2007]
 - [1] The person has a certificate of approval for a mobile site or PCB mobile waste disposal system issued under the *Environmental Protection Act*¹⁰ (EPA) or, where the person is claiming exemption under a regulation, the person has demonstrated to the General Manager that the conditions of the exemption are met;
 - [2] A copy of the most recent certificate or provisional certificate and any amendment is provided to the General Manager; and
 - [3] The person has written approval from the General Manager that the person has met a condition for an exemption under the regulations in relation to their discharge of PCBs to the sewage works.
- (1) Pesticides.
- (m) Reactive waste.
- (n) Severely toxic waste.
- (o) Waste radioactive prescribed substances, except where:

¹⁰ Editor's Note: See R.S.O. 1990, c. E.19.

- [1] The waste radioactive prescribed substances are being discharged under a valid and current licence issued by the Atomic Energy Control Board or its successor; and
- [2] A copy of the licence has been provided to the General Manager. [Amended 2007-06-22 by By-law No. 704-2007]
- (p) Waste disposal site leachate, except where: [Amended 2007-06-22 by By-law No. 704-2007]
 - [1] The person has prior written approval from the General Manager which permits the discharge or deposit of the waste disposal site leachate to the sewage works, in accordance with guidelines adopted by the City from time to time; and
 - [2] In the case where a certificate of approval or order has been issued which includes a provision for the disposal of waste disposal site leachate to sewage works, a copy of the certificate of approval or order is provided to the General Manager or, where the person is claiming an exemption, the person has received written notice from the General Manager that the conditions of the exemption are being met.
- (q) Solid or viscous substances in quantities or of such size to be capable of causing obstruction to the flow in a sewer, including but not limited to ashes, bones, cinders, sand, mud, soil, straw, shaving, metal, glass, rags, feathers, tar, plastics, wood, unground garbage, animal parts or tissues, and paunch manure. [Amended 2000-10-05 by By-law No. 869-2000]
- (4) The sewage contains a concentration, expressed in milligrams per litre, in excess of any one or more of the limits in Table 1 of this article entitled "Limits for Sanitary and Combined Sewers Discharge," at the end of this section, unless: [Amended 2005-10-28 by By-law No. 867-2005]
 - (a) The discharge is authorized in a Best Management Practices (BMP) plan approved by Council; or
 - (b) The discharge is in accordance with a valid discharge agreement or compliance program; or
 - (c) The person has demonstrated to the General Manager that one or more of the parameter limits contained in Table 1 cannot be met as a result of water conservation measures and the General Manager has exercised discretion to impose mass loading limits in addition to or in place of concentration-based limits.
- (5) The City may, from time to time, adopt a BMP plan or plans with respect to any class or classes of industrial sector, and to impose conditions and

681-12 **2010 - 07 - 08**

requirements specific to any such industrial sector that may vary between sectors in any way that the City determines to be appropriate. [Added 2005-10-28 by By-law No. 867-2005]

- B. The discharge of non-contact cooling water or uncontaminated water to a sanitary sewer or combined sewer from any new residential properties is prohibited. The discharge of non-contact cooling water or uncontaminated water to a sanitary or combined sewer from industrial, commercial or institutional properties is permissible where: [Amended 2002-10-31 by By-law No. 855-2002]
 - (1) In the case of a proposed building, no storm sewer exists adjacent to the building; or
 - (2) In the case of an existing building, no storm connection exists to the building.
- C. Discharge of water originating from a source other than the City water supply.
 - (1) The discharge of water originating from a source other than the City water supply, including storm water or groundwater, directly or indirectly to a sanitary sewer or combined sewer is prohibited, unless: [Amended 2002-10-31 by By-law No. 855-2002]
 - (a) The discharge is in accordance with a sanitary discharge agreement, pursuant to § 681-6; provided, however, that this requirement shall not apply to rainwater used for washroom facilities; [Amended 2009-03-31 by By-law No. 358-2009]
 - (b) The discharge does not exceed the limits set out under Table 1 Limits for Sanitary and Combined Sewers Discharge, with respect to biochemical oxygen demand, phenolics (4AAP), total phosphorus or total suspended solids; or
 - (c) In the event the discharge does exceed the limits set out under Table 1 Limits for Sanitary and Combined Sewers Discharge, with respect to any of biochemical oxygen demand, phenolics (4AAP), total phosphorus or total suspended solids, the discharge is in accordance with an industrial waste surcharge agreement pursuant to § 681-6.
 - (2) The provisions of Subsection A(4) do not apply where:
 - (a) The discharge is in accordance with an industrial waste surcharge agreement or a permit for one-time or periodic discharges or otherwise expressly authorized in writing by the General Manager in accordance with this section prior to the discharge; [Amended 2007-06-22 by Bylaw No. 704-2007; 2008-06-24 by By-law No. 577-2008]
 - (b) Any fee set by the City has been paid within 30 days of invoicing.

Table 1 — Limits for Sanitary and Combined Sewers Discharge [Amended 2002-10-31 by By-law No. 855-2002; 2010-07-08 by By-law No. 868-2010]

	Limit		Limit
Parameter	(mg/L)	Parameter	(mg/L)
Biochemical oxygen demand	300	Benzene	0.01
Cyanide (total)	2	Chloroform	0.04
Fluoride	10	1,2-dichlorobenzene	0.05
Total Kjeldahl Nitrogen	100	1,4-dichlorobenzene	0.08
Oil and grease — animal and vegetable (non-mineral) ¹	150	Cis-1,2-dichloroethylene	4
Oil and grease — mineral	15	Trans-1,3-	0.14
and synthetic		dichloropropylene	
Phenolics (4AAP)	1.0	Ethyl benzene	0.16
Phosphorus (total)	10	Methylene chloride	2
Suspended solids (total)	350	1,1,2,2-	1.4
		tetrachloroethane	
Aluminum (total)	50	Tetrachloroethylene	1
Antimony (total)	5	Toluene	0.016
Arsenic (total)	1	Trichloroethylene	0.4
Cadmium (total)	0.7	Xylenes (total) ²	1.4
Chromium (hexavalent)	2	Di-n-butyl phthalate	0.08
Chromium (total)	4	Bis (2-ethylhexyl) phthalate	0.012
Cobalt (total)	5	Nonylphenols	0.02
Copper (total)	2	Nonylphenol ethoxylates ²	0.2
Lead (total)	1	Aldrin/dieldrin	0.0002
Manganese (total)	5	Chlordane	0.1
Mercury (total)	0.01	DDT ²	0.0001
Molybdenum (total)	5	Hexachlorobenzene	0.0001
Nickel (total)	2	Mirex	0.1
Selenium (total)	1	PCBs	0.001
Silver (total)	5	3,3'-dichlorobenzidine	0.002
Tin (total)	5	Hexachlorocyclohexane	0.1
Titanium (total)	5	Pentachlorophenol	0.005
Zinc (total)	2	Total PAHs ²	0.005

Footnote 1: The noted parameter is calculated. Footnote 2: The noted parameters have calculated totals.

§ 681-3. Prohibition of dilution.

No person shall discharge directly or indirectly or deposit or cause or permit the discharge or deposit of sewage into a sanitary sewer, combined sewer, storm sewer, municipal or private sewer connection to any sanitary sewer, combined sewer or storm sewer in circumstances where water has been added to the discharge for the purposes of dilution to achieve compliance with § 681-2 or 681-4 of this article.

§ 681-4. Storm sewer requirements.

No person shall discharge or deposit or cause or permit the discharge or deposit of matter of any type into a storm sewer, watercourse, municipal or private sewer connection to any storm sewer which may or could:

- A. Interfere with proper operation of a storm sewer.
- B. Obstruct or restrict a storm sewer or the flow therein.
- C. Damage a storm sewer.
- D. Result in any hazard or other adverse impact to any person, animal, property or vegetation.
- E. Contravene or result in the contravention of a certificate of approval or provisional certificate of approval issued under the *Ontario Water Resources Act*^{II} or the *Environmental Protection Act* (Ontario)¹² with respect to the storm sewer, its discharge, or both the sewer and its discharge. [Amended 2000-10-05 by By-law No. 869-2000]
- F. Have one or more of the following characteristics:
 - (1) Visible film, sheen or discolouration.
 - (2) Two or more separate layers.
 - (3) A pH less than 6.0 or greater than 9.5.
 - (4) A temperature greater than 40 degrees Celsius.
- G. Contain one or more of the following:
 - (1) Acute hazardous waste chemicals.
 - (2) Blowdown water.
 - (3) Combustible liquids.

681-15 2010 - 07 - 08

¹¹ Editor's Note: See R.S.O. 1990, c. O.40.

¹² Editor's Note: See R.S.O. 1990, c. E.19.

- (4) Floating debris.
- (5) Fuel.
- (6) Hauled sewage.
- (7) Hauled waste.
- (8) Hazardous industrial waste.
- (9) Hazardous waste chemicals.
- (10) Ignitable waste.
- (11) Pathological waste.
- (12) PCBs.
- (13) Pesticides.
- (14) Reactive waste.
- (15) Severely toxic waste.
- (16) Sewage.
- (17) Waste radioactive prescribed substances.
- (18) Waste disposal site leachate.
- (19) A substance from raw materials, intermediate or final product, used or produced in, through or from an industrial process.
- (20) A substance used in the operation or maintenance of an industrial site.
- H. Contain E. coli colonies in excess of 200 per 100 mL.
- I. Contain contaminants from raw materials, intermediate or final products or wastewater from an industrial operation.
- J. Contain a concentration, expressed in milligrams per litre, in excess of any one or more of the limits in Table 2 of this article entitled "Limits for Storm Sewer Discharge."

Table 2 — Limits for Storm Sewer Discharge [Amended 2010-07-08 by By-law No. 868-2010]

	Limit		Limit
Parameter	(mg/L)	Parameter	(mg/L)
Biochemical oxygen	15	Trans-1,3-dichloropropylene	0.0056
demand			
Cyanide (total)	0.02	Ethyl benzene	0.002

681-16 2010 - 07 - 08

	Limit		Limit
Parameter	(mg/L)	Parameter	(mg/L)
Phenolics (4AAP)	0.008	Methylene chloride	0.0052
Phosphorus (total)	0.4	1,1,2,2-tetrachloroethane	0.017
Suspended solids (total)	15	Tetrachloroethylene	0.0044
Arsenic (total)	0.02	Toluene	0.002
Cadmium (total)	0.008	Trichloroethylene	0.0076
Chromium (total)	0.08	Xylenes (total) ³	0.0044
Chromium (hexavalent)	0.04	Di-n-butyl phthalate	0.015
Copper (total)	0.04	Bis (2-ethylhexyl) phthalate	0.0088
Lead (total)	0.12	Nonylphenols	0.001
Manganese (total)	0.05	Nonylphenol ethoxylates ³	0.01
Mercury (total)	0.0004	Aldrin/dieldrin	0.00008
Nickel (total)	0.08	Chlordane	0.04
Selenium (total)	0.02	DDT^3	0.00004
Silver (total)	0.12	Hexachlorobenzene	0.00004
Zinc (total)	0.04	Mirex	0.04
Benzene	0.002	PCBs	0.0004
Chloroform	0.002	3,3'-dichlorobenzidine	0.0008
1,2-dichlorobenzene	0.0056	Hexachlorocyclohexane	0.04
1,4-dichlorobenzene	0.0068	Pentachlorophenol	0.002
Cis-1,2-dichloroethylene	0.0056	Total PAHs ³	0.002

Footnote 3: The noted parameters are calculated totals.

§ 681-5. Pollution prevention planning.

- A. Every subject sector industry and every industry which discharges any amount of a subject pollutant shall prepare a plan and submit to the General Manager a plan summary with respect to the premises from which the discharge occurs by no later than the date set out in Column 3 of Appendix 1 to this article, at the end of this chapter, that corresponds to the industrial category for that industry as set out in Column 2 of Appendix 1, unless such industry continually meets the requirements and is participating in a Best Management Practices Plan approved by Council. [Amended 2000-10-12 by By-law No. 958-2000; 2005-10-28 by By-law No. 867-2005]
- B. Plan summaries submitted to the General Manager shall be approved by the General Manager unless the General Manager determines that the plan summary or combined plan and plan summary does not comply with the requirements of this article. [Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]

C. Form of plan.

- (1) The plan shall be in the form designated by the City for that purpose from time to time.
- (2) In addition to any other matter or requirement designated by the City, and notwithstanding Subsection C(3), each plan shall include the following:
 - (a) A description of the processes at the premises which use or produce subject pollutants.
 - (b) A description of those processes at the premises which are to be the subject of pollution prevention planning.
 - (c) A list of the subject pollutants present at the premises at any stage of the operations of the premises.
 - (d) A description setting out the types, quantities and concentrations of all subject pollutants discharged, directly or indirectly, to a sewer.
 - (e) A description of current waste reduction, recycling, waste treatment and pollution prevention activities with respect to sewer discharges at the premises.
 - (f) A description of pollution prevention options for subject pollutants and sewer discharge and an evaluation of those options.
 - (g) A list of possible three- and six-year targets to reduce or eliminate the discharge of subject pollutants to the City's sewers.
 - (h) A declaration from an authorized person that the content of the plan is, to the best of that person's knowledge, true, accurate and complete.
- (3) The City may designate a different form for the plan with respect to any class of industrial, commercial or institutional premises, or with respect to any class of industry.

D. Form of plan summary.

- (1) The plan summary shall be in the form designated by the City for that purpose from time to time.
- (2) In addition to any other matter or requirement designated by the City, and notwithstanding Subsection D(3), each plan summary shall include the following:
 - (a) A description of the processes at the premises which use or produce subject pollutants.

681-18 2010 - 07 - 08

- (b) A description of those processes at the premises which are to be the subject of pollution prevention planning.
- (c) A list of the subject pollutants present at the premises at any stage of the operations of the premises.
- (d) A summary of the plan.
- (e) A declaration from an authorized person that the content of the plan summary is, to the best of that person's knowledge, true, accurate and complete.
- (3) The City may designate a different form for the plan summary with respect to any class of industrial, commercial or institutional premises, or with respect to any class of industry.
- E. In the event that the activity or business of an industry which discharges any amount of a subject pollutant is not listed in Column 2 of Appendix 1 to this article, at the end of this chapter, then that industry shall prepare a plan and submit a plan summary by no later than June 1, 2001.
- F. Any subject sector industry and any industry discharging any amount of a subject pollutant which commences business operations after June 30, 2000, shall have one year from the date of the commencement of its business operations to prepare a plan and prepare and submit a plan summary or combined plan and plan summary to the General Manager. [Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]
- G. At all times after the dates specified in Subsections A, E and F, every subject sector industry and every industry discharging a subject pollutant shall have a plan summary or combined plan and plan summary that has been approved by the General Manager. [Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]
- H. In the event that an industry submitting a plan summary or combined plan and plan summary is not sent written notice from the General Manager that its plan summary or combined plan and plan summary is not approved by the General Manager within 90 days of the industry delivering the plan summary or combined plan and plan summary to the General Manager, the plan summary or combined plan and plan summary shall be deemed to have been approved by the General Manager. [Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]
- I. Where an industry receives notice from the General Manager that its plan summary or combined plan and plan summary has not been approved, the industry shall have 90 days to amend and resubmit its plan summary or combined plan and plan summary to the General Manager for approval in accordance with this article.

[Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]

- J. In the event that a plan summary or combined plan and plan summary resubmitted to the General Manager in accordance with Subsection I of this section continues to fail to comply with the requirements of this article, the General Manager shall so notify the industry, and the industry shall be in contravention of Subsection A of this article and shall continue to be in contravention of this article until such time as the General Manager approves of an amended plan summary or combined plan and plan summary resubmitted by the industry, in accordance with this article. [Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]
- K. Every subject sector industry and every industry discharging a subject pollutant shall submit a revised and updated plan summary or combined plan and plan summary for the approval of the General Manager at least once every two years from the date which the original plan summary or combined plan and plan summary was required to be submitted. Such revised and updated plan summary or combined plan and plan summary shall, in addition to the requirements otherwise set out in this article, detail and evaluate the progress of the industry to accomplish the objectives set out in its plan and the industry's ability to accomplish those pollution prevention objectives. [Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]
- L. Every subject sector industry and every industry discharging a subject pollutant shall prepare a revised and updated plan no less frequently than once every six years from the date which the original plan was required to be prepared, and shall prepare and submit for the General Manager's approval a plan summary with respect thereto no later than the date by which any revised and updated plan must be prepared. [Amended 2007-06-22 by By-law No. 704-2007]
- M. The provisions of Subsections I, J and K of this section apply with respect to plans and plan summaries required to be prepared pursuant to Subsection L.
- N. The City may designate any class of business or activity not included in Appendix 1 to this article, at the end of this chapter, as a subject sector industry and may designate a date with respect to which any such subject sector shall be required to submit to the General Manager a plan and a plan summary or combined plan and plan summary. [Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]
- O. The City may designate any matter as a subject pollutant and may designate a date with respect to which any industry discharging such subject pollutant shall be required to submit to the General Manager a plan and a plan summary or combined plan and plan summary. [Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]

681-20 2010 - 07 - 08

- P. A copy of the plan and plan summary or combined plan and plan summary shall be kept at all times at the premises in respect to which it was prepared and shall be available for inspection by the General Manager at any time. [Amended 2003-09-24 by By-law No. 958-2003; 2007-06-22 by By-law No. 704-2007]
- Q. Combined plan and plan summary. [Added 2003-09-24 by By-law No. 958-2003]
 - (1) The City may, from time to time, designate a form for a combined plan and plan summary.
 - (2) Only those subject sectors designated by the City may submit a combined plan and plan summary.
 - (3) The City may designate a different form for the combined plan and plan summary with respect to any class of industrial, commercial or institutional premises, or with respect to any class of industry.
 - (4) Where a combined form has been designated for a subject sector:
 - (a) Section 681-5L does not apply; and
 - (b) Each designated industry shall submit a combined plan and plan summary form to the General Manager no less often than every two years from the date which the original plan summary was required to be submitted. [Amended 2007-06-22 by By-law No. 704-2007]

§ 681-6. Agreements.

- A. A person may discharge or deposit sewage into or in any connection to a sanitary or combined sewer, otherwise prohibited by this article, where authorized, and only to the extent of such authorization, by: [Amended 2002-10-31 by By-law No. 855-2002; 2008-06-24 by By-law No. 577-2008]
 - (1) An industrial waste surcharge agreement, subject to Subsection B(1), including conditions for payment of additional costs of operation, repair and maintenance of the sewage works, restrictions on the discharge, and such other terms and conditions as may be deemed appropriate by the General Manager; or
 - (2) A sanitary discharge agreement, subject to Subsection B(2), including conditions for payment for water pollution control treatment purposes that otherwise would have been obtained from a surcharge on the water had it been supplied by the City, restrictions on the discharge, and such other terms and conditions as may be deemed appropriate by the General Manager; or
 - (3) A hauled sewage discharge agreement, subject to Subsection B(3), including conditions for payment, restrictions on the discharge, and such other terms and conditions as may be deemed appropriate by the General Manager; and

- § 681-6
 - (4) The industrial waste surcharge rate, the sanitary discharge rate, and the hauled sewage discharge rate will be reviewed and adjusted accordingly from time to time as determined by the City.
 - (5) Where, under a proposed industrial waste surcharge agreement or sanitary discharge agreement, the anticipated total fee for a one year or lesser term would be \$500 or less calculated in accordance with the rate set out in Item 2 or Item 14, as applicable, of City of Toronto Municipal Code Chapter 441, Fees and Charges, Appendix A Schedule 3, Wastewater Services, the General Manager may authorize a discharge or deposit of sewage in accordance with this section by way of a permit in the place of an agreement. [Added 2009-03-31 by By-law No. 358-2009; amended 2009-12-04 by By-law No. 1206-2009¹³]
 - Where a permit is issued by the General Manager in the place of an agreement under § 681-6, all requirements and restrictions set out in § 681-6 applicable to an agreement shall apply to the permit and the General Manager may impose such other terms and conditions as may be deemed appropriate. [Added 2009-03-31 by By-law No. 358-2009]
 - (7) In the case of an industrial waste surcharge agreement or permit or sanitary discharge agreement or permit, the minimum amount payable under such agreement or permit for the initial term of the agreement or permit, and upon any and each extension or renewal, if any, of such term by the General Manager, shall be as set out in City of Toronto Municipal Code Chapter 441, Fees and Charges, Appendix A Schedule 3, Wastewater Services. [Added 2009-03-31 by By-law No. 358-2009; amended 2009-12-04 by By-law No. 1206-2009¹⁴]

B. Restrictions on agreements.

- (1) An industrial waste surcharge agreement may only be entered into with respect to the discharge of the following treatable parameters in sewage: biochemical oxygen demand, phenolics (4AAP), total phosphorus and total suspended solids.
- (2) A sanitary discharge agreement may be entered with respect to the discharge of sewage, which contains water that has originated from a source other than the City water supply system.
- (3) A hauled sewage discharge agreement may only be entered with respect to the discharge of hauled sewage originating from septic tanks, portable toilets, or

681-22

2010 - 07 - 08

¹³ Editor's Note: This by-law came into force 2009-04-01.

Editor's Note: This by-law came into force 2009-04-01.

holding tanks and household pet waste within the City. [Added 2008-06-24 by By-law No. 577-2008]

- C. Industrial waste surcharge agreements, sanitary discharge agreements, and hauled sewage discharge agreements shall be in the form prescribed by the General Manager from time to time, provided that the agreement is in a form satisfactory to the City Solicitor. The General Manager shall be authorized to enter into and execute such industrial waste surcharge agreements, sanitary discharge agreements, and hauled sewage discharge agreements on behalf of the City. [Amended 2007-06-22 by By-law No. 704-2007; 2008-06-24 by By-law No. 577-2008]
- D. The agreements contemplated by Subsection B(1) and (2) may be terminated by the General Manager by written notice at any time where there is an emergency situation of immediate threat or danger to any person, property, plant or animal life, water or sewage works. [Amended 2007-06-22 by By-law No. 704-2007]
- E. Where a person has entered into an agreement with the City in respect to the discharge or deposit of sewage: [Added 2007-06-22 by By-law No. 704-2007]
 - (1) Such person shall notify the General Manager in writing, within no more than 10 days of the occurrence, of:
 - (a) Any change in ownership of the property upon or from which the discharge of sewage is occurring;
 - (b) In the case where such party is a lessee or licensee of the property upon or from which the discharge of sewage is occurring, the termination of such lease or licence:
 - (c) In the case where a corporation is a party to such an agreement, any change in control or majority ownership of such corporation;
 - (d) In the case where a partnership is a party to such an agreement, any change in the partnership status or partners;
 - (e) Any change in the manner of discharge or deposit of the sewage by such person;
 - (2) In the event that a person fails to provide written notice as required by § 681-6E(1), such agreement with the City shall terminate on the 11th day following such occurrence.
- F. An agreement with the City in respect to the discharge or deposit of sewage shall not be assignable or in any way transferable to any other person without the express written authorization of the City. [Added 2007-06-22 by By-law No. 704-2007]
- G. Prior to the execution of the agreement with the City in respect to the discharge or deposit of sewage, where the party is a corporation, such party shall deliver to the

681-23 2010 - 07 - 08

§ 681-7

City a true copy of its letters of incorporation, letters patent or similar instrument of incorporation and any amendments to such instruments of incorporation and, within 10 days of the occurrence of same, shall deliver to the City a true copy of any change in status or name of such corporation since the date of execution of the agreement. [Added 2007-06-22 by By-law No. 704-2007]

§ 681-7. Compliance program.

[Amended 2007-06-22 by By-law No. 704-2007]

- A. An industry may submit to the General Manager a proposed compliance program setting out activities to be undertaken by the industry that would result in the prevention or reduction and control of the discharge or deposit of matter from the industry's premises into municipal or private sewer connections to any sanitary sewer or combined sewer.
- B. An industry may submit to the General Manager a proposed compliance program setting out activities to be undertaken by the industry that would result in the prevention or reduction and control of the discharge or deposit of uncontaminated water, ground water or storm water from the industry's premises to eliminate the discharge of matter into municipal or private sewer connections to any storm sewer.
- C. Upon receipt of an application pursuant to Subsection A or B above, the General Manager may issue an approval for a compliance program for an industry to discharge an effluent that does not comply with Table 1 (located in § 681-2) and Table 2 (in § 681-4) of this article, such approval to be in accordance with guidelines therefore adopted by the City from time to time. The industry shall be entitled to make non-complying discharges in the amount and only to the extent set out in the General Manager's approval during the planning, design and construction or installation of facilities or works needed to implement the approved compliance program.
- D. Every proposed compliance program shall be for a specified length of time during which treatment facilities are to be installed and shall be specific as to the remedial actions to be implemented by the industry, the dates of commencement and completion of the activity and the materials or other characteristics of the matter to which it relates. The final activity completion date shall not be later than the final compliance date in the compliance program.
- E. The industry to which a compliance program has been issued shall submit a compliance program progress report to the General Manager within 14 days after the scheduled completion date of each activity listed in the compliance program.
- F. The General Manager may terminate any proposed compliance program by written notice at any time to the industry in the event that the industry fails or neglects to

681-24 2010 - 07 - 08

- carry out or diligently pursue the activities required of it under its approved compliance program.
- G. The General Manager is authorized to execute agreements with industries with respect to approved compliance programs, which agreements may, in accordance with guidelines adopted by the City from time to time, include a provision for a reduction in the payment otherwise required from the industry to the City pursuant to an industrial waste surcharge agreement. The reduction in payment to the City may be in such an amount and for such duration as the agreement may specify.
- H. The General Manager may terminate any approved compliance program agreement entered into pursuant to Subsection G by written notice at any time to the industry in the event that the industry fails or neglects to carry out or diligently pursue the activities required of it under its approved compliance program, and in the event of any such termination, the industry shall pay to the City the full difference in amount between what it was required to pay to the City pursuant to the industrial waste surcharge agreement, and the amount actually paid to the City as a result of having entered into an agreement with respect to the approved compliance program. [Amended 2000-10-05 by By-law No. 869-2000]

§ 681-8. Sampling and analytical requirements.

- A. Except as otherwise specifically provided in this chapter, all tests, measurements, analyses and examinations of sewage or uncontaminated water or stormwater, required pursuant to or referenced in this chapter, shall be carried out by a testing analytical laboratory in accordance with those methods determined by the General Manager as appropriate for the type of test, measurement, analysis, or examination undertaken, which may include: [Amended 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007; 2008-06-24 by By-law No. 577-2008]
 - (1) Standard Methods; or
 - (2) Established methods developed or approved, or both, by the Ontario Ministry of the Environment; or
 - (3) Methods developed or approved, or both, by Environment Canada; or
 - (4) Methods developed by U.S. Environmental Protection Agency or International Standards Organizations.
- B. Compliance or non-compliance with this article may be determined by the analysis of a grab sample or a composite sample done in accordance with Subsection A, may contain additives for its preservation and may be collected manually or by using automatic sampling device.
- C. Where there is no maintenance access hole meeting the requirements of § 681-10 of this article, the General Manager may, by written notice to an industry, make use of

an alternate device or facility for the purpose of sampling a discharge to the sewage works. [Amended 2007-06-22 by By-law No. 704-2007]

§ 681-9. Spills.

- A. In the event of a spill to a sewage works, the person responsible or the person having the charge, management and control of the spill shall immediately notify the General Manager and provide any information with regard to the spill that is requested. [Amended 2000-10-05 by By-law No. 869-2000; 2007-06-22 by By-law No. 704-2007]
- B. The person shall provide a detailed report on the spill to the General Manager, within five days after the spill, containing the following information to the best of his or her knowledge: [Amended 2000-10-05 by By-law No. 869-2000; 2007-06-22 by By-law No. 704-2007]
 - (1) Location where spill occurred;
 - (2) Name and telephone number of the person who reported the spill and the location and time where they can be contacted;
 - (3) Date and time of spill;
 - (4) Material spilled;
 - (5) Characteristics of material spilled;
 - (6) Volume of material spilled;
 - (7) Duration of spill event;
 - (8) Work completed and any work still in progress in the mitigation of the spill; and
 - (9) Preventive actions being taken to ensure a similar spill does not occur again.
- C. The person responsible for the spill and the person having the charge, management and control of the spill shall do everything reasonably possible to contain the spill, protect the health and safety of citizens, minimize damage to property, protect the environment, clean up the spill and contaminated residue and restore the affected area to its condition prior to the spill. [Amended 2000-10-05 by By-law No. 869-2000]
- D. Industries at whose premises a spill has occurred which are required to have a plan pursuant to § 681-5 of this article shall prepare an updated plan and plan summary incorporating the information set out in Subsection B and shall submit the plan summary so updated to the General Manager within 30 days of the spill. [Amended 2007-06-22 by By-law No. 704-2007]

681-26 2010 - 07 - 08

§ 681-10. General.

A. Maintenance access hole.

- (1) The owner or operator of commercial, institutional or industrial premises or multi-storey residential buildings with one or more connections to a sewage works shall install and maintain in good repair in each connection a suitable maintenance access hole to allow observation, sampling and flow measurement of the sewage, uncontaminated water or storm water therein, provided that, where installation of a maintenance access hole is not possible, an alternative device or facility may be substituted with the prior written approval of the General Manager. [Amended 2007-06-22 by By-law No. 704-2007]
- (2) The maintenance access hole or alternative device shall be located on the property of the owner or operator of the premises, as close to the property line as possible, unless the General Manager has given prior written approval for a different location. [Amended 2007-06-22 by By-law No. 704-2007]
- (3) Each maintenance access hole, device or facility installed as required by Subsection A(2) shall be designed and constructed in accordance with good engineering practice and the requirements of the Standards and Specifications, as it may be amended from time to time, and shall be constructed and maintained by the owner or operator of the premises at his or her expense. [Amended 2002-10-31 by By-law No. 855-2002; 2010-07-08 by By-law No. 868-2010]
- (4) The owner or operator of an industrial, commercial or institutional premises or a multi-storey residential building shall at all times ensure that every maintenance access hole, alternative device or facility installed as required by Subsection A(1) is accessible to the General Manager for the purposes of observing, sampling and flow measurement of the sewage, uncontaminated water or storm water therein. [Amended 2000-10-05 by By-law No. 869-2000; 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007]
- (5) The provisions of Subsections A(1) to (4) inclusive do not apply to those who own or operate dental offices. Dental offices shall provide a sampling port consisting of a valve, tap, or similar device consistent with technical guidelines that the General Manager may establish from time to time. [Added 2002-10-31 by By-law No. 855-2002; amended 2007-06-22 by By-law No. 704-2007]
- B. Food-related grease interceptors. [Amended 2002-10-31 by By-law No. 855-2002]
 - (1) Every owner or operator of a restaurant or other industrial, commercial or institutional premises where food is cooked, processed or prepared, which

681-27 2010 - 07 - 08

- premises is connected directly or indirectly to a sewer, shall take all necessary measures to ensure that oil and grease are prevented from entering the sewer.
- (2) The owner or operator of a premises as set out in Subsection B(1) shall install, operate, and properly maintain a grease interceptor in any piping system at its premises that connects directly or indirectly to a sewer. The grease interceptors shall be installed in compliance with the most current requirements of the Ontario Building Code.

C. Interceptors for motor oil and lubricating grease. [Amended 2000-10-05 by By-law No. 869-2000; 2002-10-31 by By-law No. 855-2002]

- (1) Every owner or operator of a motor vehicle service station, repair shop or garage or of an industrial, commercial or institutional premises or any other establishment where motor vehicles are repaired, lubricated or maintained and where the sanitary discharge is directly or indirectly connected to a sewer shall install and maintain an oil interceptor designed to prevent motor oil and lubricating grease from passing into the drainage piping which is connected directly or indirectly to a sewer.
- (2) The owner or operator of a premises as set out in Subsection C(1) shall install, operate, and properly maintain an oil interceptor in any piping system at its premises that connects directly or indirectly to a sewer. The oil interceptors shall be installed in compliance with the most current requirements of the Ontario Building Code.

D. Sediment interceptors. [Amended 2002-10-31 by By-law No. 855-2002]

- (1) Every owner or operator of a premises from which sediment may directly or indirectly enter a sewer, including but not limited to premises using a ramp drain or area drain and car and vehicle wash establishments, shall take all necessary measures to ensure that such sediment is prevented from entering the drain or sewer.
- (2) Catch basins installed on private property for the purposes of collecting storm water and carrying it into the storm sewers shall be equipped with goss traps or an equivalent and the installation of these catch basins on private property shall comply with the Standards and Specifications, as it may be amended from time to time. [Amended 2010-07-08 by By-law No. 868-2010]
- (3) No combination of a maintenance access hole and catch basin shall be installed on private property.

E. Garbage grinders. [Amended 2002-10-31 by By-law No. 855-2002]

(1) No person shall install or operate within the City any garbage grinding devices for domestic purposes, the effluent from which will discharge directly or indirectly into a storm or combined sewer.

681-28 2010 - 07 - 08

- (2) In the case of industrial, commercial or institutional properties where garbage grinding devices are installed in accordance with the Building Code, the effluent from such garbage grinding devices must comply with § 681-2.
- F. Dental waste amalgam separator. [Amended 2005-10-28 by By-law No. 867-2005; 2007-06-22 by By-law No. 704-2007¹⁵]
 - (1) Every owner or operator of a premises from which dental amalgam may be discharged, which waste may directly or indirectly enter a sewer, shall install, operate and properly maintain dental amalgam separator(s) in any piping system at its premises that connects directly or indirectly to a sewer by no later than January 1, 2002, except where the sole dental-related practice at the premises consists of one or more of the following specialties or type of practice:
 - (a) Orthodontics and dentofacial orthopaedics;
 - (b) Oral and maxillofacial surgery;
 - (c) Oral medicine and pathology;
 - (d) Periodontics; or
 - (e) A dental practice consisting solely of visits by a mobile dental practitioner who prevents any dental amalgam from being released directly or indirectly to the sewage works.
 - (2) Notwithstanding Subsection F(1), any person operating a business from which dental waste amalgam is or will be discharged directly or indirectly to a sewer, at premises which are constructed or substantially renovated on or after the date that this article comes into force, shall install, operate and properly maintain dental waste amalgam separator(s) in any piping system which is connected directly or indirectly to a sewer.
 - (3) Notwithstanding compliance with Subsection F, all persons operating or carrying on the business of a dental practice shall comply with § 681-2A(4) of this article.

§ 681-11. Sewer connections.

A. No person shall:

(1) Erect or cause or permit to be erected any new building unless the new building is connected to the sanitary sewer or combined sewer for sanitary

681-29 2010 - 07 - 08

Editor's Note: This by-law also repealed former § 681-10F, Right of entry, previously amended 2001-12-06 by By-law No. 1109-2001; § 681-10G, Protection from damage; § 681-10H, Damage to the sewage works; and § 681-10I, Unauthorized entry to sewage works.

§ 681-11

drainage purposes, save and except an accessory building not required by the *Building Code Act*, 1992, S.O. 1992¹⁶ or other applicable law to contain plumbing or a sewage system; and [Amended 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007]

- (2) Construct, install, maintain or cause or permit to be constructed, installed or maintained, whether installed prior to the date of the passing of this article or any of its predecessors, a direct or indirect connection to the sanitary sewer connection which would permit anything other than domestic and industrial sewage to discharge into the sanitary sewer connection.
- (3) Section 681-11A(1) shall not apply to the City so as to limit the City from erecting or causing or permitting the erection of Class 1 or Class 4 sewage systems, as defined by the *Building Code Act*, 1992, S.O. 1992, on City property designated as open space or public park lands. [Added 2007-06-22 by By-law No. 704-2007]
- (4) Where no City sanitary sewer exists adjacent to a property, the General Manager may exempt such property from the application of § 681-11A(1), provided that the property contains no more than one single-family dwelling and the new building is connected to a septic system or holding system, to contain the sewage, installed and maintained in compliance with all applicable legislation, regulations and by-laws. [Added 2007-06-22 by By-law No. 704-2007]
- B. (1) No sewer connection shall be constructed on any road allowance, easement, or other public land, except by the City or, where authorized in writing by the General Manager, under a written agreement satisfactory to the General Manager. [Amended 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007; 2010-07-08 by By-law No. 868-2010]
 - (2) The owner of the property seeking the sewer connection shall make an application in accordance with § 681-11C and shall be responsible for the cost of the sewer connection. [Amended 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007; 2010-07-08 by By-law No. 868-2010]
- C. The owner or owner's agent shall apply to the City for a new sewer installation or installations and, where necessary, for the disconnection of the existing sewer connections, and pay to the City the cost of such work on an actual cost basis with a minimum charge equal to the applicable flat rate for such works, as determined by the City from time to time, where there is: [Amended 2005-10-28 by By-law No. 867-2005; 2008-06-24 by By-law No. 577-2008]
 - (1) A resubdivision of lots or change in location of a building on a lot; or

_

¹⁶ Editor's Note: See S.O. 1992, c. 23.

- (2) A construction of a new or reconstructed building; or
- (3) A disconnection of a dwelling from a septic tank system.

D. Reconstructed buildings.

- (1) Whenever an existing building is substantially demolished, the existing municipal sewer connections shall be disconnected by the City at the municipal sewers at the expense of the owner of the building. The owner applying for the permit to construct the replacement building shall be required to apply and pay the City for the installation of new municipal sewer connections.
- (2) For the purposes of this section, an existing building is substantially demolished when more than 50 percent of the exterior walls of the first storey above grade are removed, whether or not they are subsequently replaced.17
- (3) Notwithstanding § 681-11D(1), an owner may apply to the General Manager for the reuse of a municipal sewer connection, up to and including 150 mm in diameter, for the purposes of servicing a residential dwelling if municipal sewer connection meets, as determined by the General Manager, all of the following requirements: [Added 2010-07-08 by By-law No. 868-2010]
 - (a) The municipal sewer connection must meet current City standards and specifications;
 - (b) The municipal sewer connection must not be a double connection;
 - (c) The municipal sewer connection must not have record of history of sewer back-ups in respect to properties serviced by that municipal sewer connection; and
 - (d) The municipal sewer connection is free of structural and operational defects.
- (4) For the purposes of § 681-11D(3)(d), the City will carry out a closed circuit television sewer inspection along the entire municipal portion of the sewer connection, the results of which must indicate that the sewer connection is free of structural and operational defects. [Added 2010-07-08 by By-law No. 868-2010]
- (5) The owner, upon making an application under § 681-11D(3), shall pay to the City any fees, charges and costs as may be prescribed or determined by the City from time to time. [Added 2010-07-08 by By-law No. 868-2010]

681-31 **2010 - 07 - 08**

 $^{^{17}}$ Editor's Note: Former \S 681-11D(3), which previously followed this subsection, which permitted an owner to use an existing municipal sewer connection when constructing a replacement building or disconnecting a dwelling from a septic tank, amended 2005-10-28 by By-law No. 867-2005, was repealed 2008-06-24 by By-law No. 577-2008.

- § 681-11
- E. In the event that a sewer connection is installed or operated in contravention of any provision of this article, the General Manager may, until such time as the violations are rectified, order the temporary disconnection of such sewer connection. During any disconnection in accordance with this section, no person shall use or cause or permit the use of such a connection. [Amended 2007-06-22 by By-law No. 704-2007]
- F. The General Manager shall not order such temporary disconnection unless the General Manager has first mailed to the property owner and occupant, if any, a registered letter specifying the nature of the violation or violations of this article and indicating the intention of the General Manager to order temporary disconnection of the sewer 30 days after the date of mailing, unless the General Manager is satisfied that the violation or violations set out in the notice will be rectified within that time. The cost of the disconnection and reconnection shall be borne by the property owner and shall be payable to the City before any reconnection is made. [Amended 2007-06-22 by By-law No. 704-2007]
- G. (1) Any person who requires or desires a new sewer connection to be supplied to a property or a change or alteration to the existing sewer connection in relation to a property shall submit an application for such connection, change or alteration on the prescribed City form to the General Manager accompanied by such investigational studies, reports, drainage plans, grading plans, engineering plans and other detailed documentation and information as may be required by the General Manager to determine if the application is in accordance with the standards and specifications and the requirements of this chapter. [Amended 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007; 2010-07-08 by By-law No. 868-2010]
 - (2) The applicant shall pay to the City, at the time of making the application, all applicable fees, charges, deposits and costs, including the cost for disconnection of the existing sewer connection and for the new sewer connection, if one is required. [Amended 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007; 2010-07-08 by By-law No. 868-2010]
 - (3) The owner of the property, or the owner's agent, shall sign the application, and the owner shall be responsible for the completeness and accuracy of the information furnished on such application and in the supporting documentation to be provided in accordance with § 681-11G(1). [Amended 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007; 2010-07-08 by By-law No. 868-2010]
- H. Sewer connections on public or private property. [Amended 2002-10-31 by By-law No. 855-2002; 2005-10-28 by By-law No. 867-2005; 2007-06-22 by By-law No.

681-32 2010 - 07 - 08

704-2007; 2008-06-24 by By-law No. 577-2008; 2010-07-08 by By-law No. 868-2010]

- (1) Upon approval by the General Manager of an application submitted under § 681-11G, a sewer connection on public property between the sewer main and private property shall be installed by the City, at the expense of the owner of the property obtaining the sewer connection, in accordance with the standards and specifications and upon such conditions, rates, fees, charges and costs as may be prescribed or determined by the City from time to time.
- (2) Notwithstanding § 681-11H(1), upon approval by the General Manager of an application submitted under § 681-11G, the General Manager may authorize, in writing, the property owner seeking the sewer connection to install the sewer connection provided that:
 - (a) The owner meets one of the following conditions:
 - [1] The installation of a sewer service connection is within a new or existing unassumed subdivision; or
 - [2] The installation of a sewer service connection is to be constructed in conjunction with the construction of new sewage works related to the owner's project; or
 - [3] The installation of a sewer service connection is approved by the General Manager within an easement; and
 - (b) A written agreement between the City and the owner of the property, in respect to the installation, any related work and acceptance of risk by the owner, is first entered into on such terms and conditions as are acceptable to the General Manager and in a form satisfactory to the City Solicitor; and
 - (c) The installation is wholly at the expense and risk of the owner including payment by the owner to the City of any rates, fees, charges and costs prescribed or determined by the City from time to time or costs otherwise incurred by the City as a result of or related to the installation and inspection of the work; and
 - (d) The installation is in accordance with the City's standards and specifications, the agreement set out in § 681-11H(2)(b) and under a building permit having been issued for such purpose by the Chief Building Official of the City.
- (3) The General Manager is authorized to enter into and execute an agreement provided in § 681-11H(2)(b), unless Council has otherwise delegated responsibility to enter and execute the form of agreement to another City division head or official.

- § 681-11
- I. Methods and materials used in the construction of sewer connections shall resist entry of roots and acid or alkali damage, and otherwise be in accordance with requirements determined by the General Manager from time to time. [Amended 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007]
- J. No person shall install double municipal sewer connections servicing two or more properties. A single set of service connections will be allowed for a property with multiple units, subject to the approval of the City.
- K. A private sanitary sewer connection shall not be installed until: [Amended 2002-10-31 by By-law No. 855-2002]
 - (1) The municipal sewer to which the municipal sewer connection is made is fully completed and accepted for operation; and
 - (2) The municipal sewer connection is satisfactorily installed.
- L. In the event that any person constructs a municipal sewer connection in a manner other than provided for in this section, the General Manager may order the reexcavation of the connection for the purpose of inspection and testing and, if necessary, reconstruction of the work, and the General Manager may have these works performed at the expense of the owner or disconnect the sewer connection, in which case it shall not be reconnected except with the approval of the General Manager. [Amended 2000-10-12 by By-law No. 958-2000; 2002-10-31 by By-law No. 855-2002; 2007-06-22 by By-law No. 704-2007]
- M. The owner of any building erected upon lands that abut on a street which is not serviced by a storm sewer shall construct a down-pipe from the eavestrough that shall discharge the water at grade with provisions to prevent soil erosion and shall conduct the storm water away from the building in such a manner that the storm water will not accumulate at or near the building and will not adversely affect adjacent properties.
- N. (Reserved)¹⁸
- O. (1) Where a catch basin or similar drainage collection system has been installed or is proposed to be installed on private property to drain storm water from a driveway sloped downwards towards any residential building located on the property, the storm water from the drainage collection system shall be discharged at grade away from the building in such a manner that the storm water will not accumulate at or near the building and will not adversely affect adjacent properties. [Amended 2000-10-12 by By-law No. 958-2000; 2002-10-31 by By-law No. 855-2002; 2010-07-08 by By-law No. 868-2010]

681-34 2010 - 07 - 08

Editor's Note: Former § 681-11N, which contained exceptions from § 681-11D(1) in the case of storm sewers, was repealed 2002-10-31 by By-law No. 855-2002.

- (2) An owner may make an application to the General Manager for an exemption from the provisions of § 681-11O(1) where compliance with that provision would create a hazardous condition or is not technically feasible. [Amended 2000-10-12 by By-law No. 958-2000; 2002-10-31 by By-law No. 855-2002; 2010-07-08 by By-law No. 868-2010]
- (3) Where an owner makes an application to the General Manager for an exemption from the provisions of § 681-11O(1) under § 681-11O(2), the catch basin or similar drainage collection system installed or is proposed to be installed shall not be connected to the City storm sewer unless, as determined by the General Manager: [Amended 2000-10-12 by By-law No. 958-2000; 2002-10-31 by By-law No. 855-2002; 2010-07-08 by By-law No. 868-2010]
 - (a) Compliance with § 681-11O(1) would create a hazardous condition or is not technically feasible; and
 - (b) The owner of the property has made an application in accordance with § 681-11G for a storm sewer connection in the manner and on the forms prescribed by the General Manager; and
 - (c) The driveway sloped downwards towards a residential building is lawfully permitted; and
 - (d) A storm sewer is existing immediately adjacent to the subject property and has capacity to handle any additional storm water flow resulting from the connection; and
 - (e) The storm sewer connection shall have no detrimental effects to the storm drainage system, either as a whole or in part; and
 - (f) A flap gate backwater valve is installed upstream of the public portion of the sewer connection at the streetline, so that no storm water may back up from the City storm sewer into the private catch basin; and
 - (g) A sump pump, is located in the overflow sump, to discharge any storm water which has collected in the catch basin while the above flap gate backwater valve has closed to prevent a backup of storm water; and
 - (h) The sump pump and any required storage system is appropriately sized to drain the collection area to prevent flooding into the building; and
 - (i) A written agreement between the City and the owner of the property, with terms and conditions in respect to the installation, any related work and acceptance of risk by the owner as are acceptable to the General Manager and in a form satisfactory to the City Solicitor, is first entered into: and

- § 681-11
- (j) The installation is wholly at the expense and risk of the owner including payment by the owner to the City of any rates, fees, charges and costs prescribed or determined by the City from time to time or costs otherwise incurred by the City as a result of or related to the installation and inspection of the work.
- P. Flap gate backwater valve and sump pumps required pursuant to Subsection O shall be installed and maintained by the owner or operator of the premises at his or her expense.
- Q. Inflow and infiltration of storm water into sanitary sewer system. [Amended 2002-10-31 by By-law No. 855-2002]
 - (1) The owner of any building which has a roof water leader discharging storm water, either directly or indirectly, into the sanitary sewer connection shall disconnect the down-pipe from the underground portions at grade and shall conduct the storm water away from the building in such a manner that the storm water will not accumulate at or near the building and will not adversely affect adjacent properties.
 - (2) For the purposes of this section:
 - (a) "Directly" shall mean by any physical connection or series of connections between the roof water leader and the sanitary sewer system.
 - (b) "Indirectly" shall mean in any manner whatsoever whereby storm water enters the sanitary sewer system, and for the greater certainty includes any situation where open joints in underground sewer connections on private property permit storm water to infiltrate the sanitary sewer system.
 - (3) An owner may request the General Manager to conduct an inspection by means of an excavation or closed circuit television inspection to determine the source of inflow or infiltration into the sanitary sewer system. Upon such request, the owner shall pay to the City any fees, charges and costs as may be prescribed or determined by the City from time to time including, without limitation, any closed circuit television inspection fee. [Amended 2005-10-28 by By-law No. 867-2005; 2010-07-08 by By-law No. 868-2010]
 - (4) If, as a result of the inspection pursuant to Subsection Q(3), the General Manager determines that the infiltration of storm water into the sanitary sewer system occurs solely as a result of a structural problem in the City's portion of the connection, the provisions of Subsection Q(1) will not apply to the owner with respect to the premises in relation to which the inspection was performed. [Amended 2007-06-22 by By-law No. 704-2007]

(5) If, as a result of the inspection pursuant to Subsection Q(3), the General Manager determines that the infiltration of storm water into the sanitary sewer system occurs as a result of structural problems in both the City's portion of the connection and the owner's portion of the connection, the provisions of Subsection Q(1) will not apply to the owner with respect to the premises in relation to which the inspection was performed, and the deposit will be refunded if the owner completes repairs to the owner's portion of the connection to correct deficiencies in that portion of the connection identified in the inspection. [Amended 2007-06-22 by By-law No. 704-2007]

R. Groundwater drainage system. [Amended 2002-10-31 by By-law No. 855-2002; 2005-10-28 by By-law No. 867-2005]

- (1) No owner of industrial, commercial or institutional premises shall do anything which may increase design peak flow rates of storm water or impair the quality of storm water discharged to a storm sewer.
- (2) The direct connection of any new private sewer connection to the municipal storm sewer is prohibited for any new or reconstructed residential, industrial, commercial or institutional buildings.
- (3) An owner may make an application to the General Manager for an exemption from the provisions of Subsection R(2), and the General Manager may permit a connection that does not comply with Subsection R(2) where there is no practical alternate means of drainage available, and compliance with Subsection R(2) is not feasible.
- (4) Before considering a request for an approval pursuant to Subsection R(3), the owner or operator of multi-unit residential, industrial, commercial or institutional premises shall be required to submit to the General Manager for approval a storm water management report identifying the storm water quantity and quality control measures being proposed for the site. [Amended 2007-06-22 by By-law No. 704-2007]
- (5) No direct connection or indirect interconnection between the private storm drainage system and the private sanitary drainage system is permitted.
- (6) The groundwater drainage system set out in Subsection R shall be installed and maintained by the owner or operator of the premises, at his or her sole expense.

S. Storm water drainage. [Amended 2002-10-31 by By-law No. 855-2002; 2005-10-28 by By-law No. 867-2005]

(1) An owner shall discharge storm water, unless a connection to a combined or storm sewer is otherwise permitted or authorized by the General Manager in writing under this section or § 681-110, at grade away from any building or

§ 681-11

structure on that owner's property in such a manner that the storm water will not accumulate at or near the building or structure and will not adversely affect adjacent properties or create a hazardous condition. [Amended 2010-07-08 by By-law No. 868-2010]

- (2) No person shall construct, install or maintain, or cause or permit to be constructed, installed or maintained, drainage from any roof water leader or downspout that conveys storm water from any new or reconstructed residential, industrial, commercial or institutional buildings directly or indirectly to a sanitary, combined or storm sewer connection for the purpose of storm water drainage. [Amended 2007-06-22 by By-law No. 704-2007; 2010-07-08 by By-law No. 868-2010]
- (3) No person shall permit or maintain the connection of a downspout from any building directly or indirectly to a combined or storm sewer in the combined sewer area of the City, as identified on the map attached as Attachment 1. [Added 2007-11-20 by By-law No. 1252-2007¹⁹]
- No person shall permit or maintain the connection of a downspout from any building directly or indirectly to a storm sewer in the Basement Flooding Study Areas of the City, as identified on the map attached as Attachment 2.20[Added 2008-12-03 by By-law No. 1255-2008²¹]
- (5) No person shall permit or maintain the connection of a downspout from any building directly or indirectly to a storm sewer in any other area of the City not otherwise prohibited under § 681-11S(3) or § 681-11S(4). [Added 2008-12-03 by By-law No. 1255-2008²²]
- An owner may make an application to the General Manager for an exemption from the provisions of § 681-11S(2), § 681-11S(3), § 681-11S(4) or § 681-11S(5) where, in the case of § 681-11S(2), compliance with that provision would create a hazardous condition; and where, in the case of § 681-11S(3), § 681-11S(4) or § 681-11S(5), the disconnection of downspouts, in respect to a property, would create a hazardous condition or is not technically feasible. [Added 2007-11-20 by By-law No. 1252-2007; amended 2008-12-03 by Bylaw No. 1255-2008;²³ 2010-07-08 by By-law No. 868-2010]

681-38 2010 - 07 - 08

 $^{^{19}}$ Editor's Note: By-law No. 1255-2008, enacted 2008-12-03, provided that \S 681-11S(3) come into force four years from the date of enactment of By-law No. 1252-2007.

20
Editor's Note: Attachment 2 is included at the end of this chapter.

 $^{^{21}\} Editor's\ Note:\ This\ by-law\ provided\ for\ the\ redesignation\ of\ former\ \S\ 681-11S(4)\ as\ \S\ 681-11S(6).\ This\ by-law\ also\ provided$ that \S 681-11S(4) come into force five years from the date of the enactment of this by-law.

Editor's Note: This by-law provided that § 681-11S(5) come into force eight years from the date of the enactment of this by-

Editor's Note: This by-law provided that § 681-11S(6) come into force four years from the date of the enactment of By-law No. 1252-2007.

- (7) Where an owner makes an application for an exemption under § 681-11S(6), the owner shall supply such plans, photographs and other documentation as the General Manager may request and, in each case, the determination of an exemption shall be in the General Manager's sole discretion. [Added 2010-07-08 by By-law No. 868-2010]
- T. Private swimming pool water conventional non-salt water swimming pools or hot tub/spa or wading pools. [Amended 2000-10-12 by By-law No. 958-2000; 2002-10-31 by By-law No. 855-2002; 2008-06-24 by By-law No. 577-2008; 2010-07-08 by By-law No. 868-2010]
 - (1) Subject to § 681-11U, no person shall discharge wastewater from a private residential swimming pool or hot tub/spa or wading pool:
 - (a) Into a storm drainage system, unless otherwise permitted under § 681-11T(3); or
 - (b) In a manner that may cause or causes the wastewater to flow onto an adjoining property; or
 - (c) Over a valley or ravine wall or slope in a manner that may cause or causes the erosion or instability of the valley or ravine wall or slope; or
 - (d) In a manner other than is permitted under § 681-11T(2) or (3).
 - (2) Unless otherwise permitted under § 681-11T(3) and subject to § 681-11U, a person is permitted to discharge wastewater from a private residential swimming pool or hot tub/spa or wading pool either:
 - (a) By way of a temporary connection to the sanitary sewer; or
 - (b) By way of a controlled discharge to the owner's property such that the discharge is at all times contained within the owner's property until it evaporates or infiltrates into the ground.
 - (3) Subject to § 681-11U, a person is permitted to discharge wastewater from a private residential swimming pool or hot tub/spa or wading pool to a storm sewer provided that all of the following conditions are met:
 - (a) There are no algaecides in the private residential swimming pool or hot tub/spa or wading pool water; and
 - (b) The private residential swimming pool or hot tub/spa or wading pool water is held in the pool for one week after the last dosage of chlorine and the chlorine concentration in the wastewater is at or below 0.01 mg/L; and

- § 681-11
- (c) The private residential swimming pool or hot tub/spa or wading pool water is treated with sodium sulphite to achieve the 0.01 total chlorine limit; and
- (d) The copper concentration of the private residential swimming pool or hot tub/spa or wading pool water is at or below 0.04 mg/L; and
- (e) The owner of the private residential swimming pool or hot tub/spa or wading pool, either directly, or through a tenant, operator or service contractor, complies with the City's *Environmental Best Management Practices for Swimming Pools*.
- (4) For the purposes of § 681-11T, "private residential" means a swimming pool serving five or fewer single-family residences.
- U. Private swimming pool water or hot tub/spa private residential salt water swimming pools. [Amended 2008-06-24 by By-law No. 577-2008; 2010-07-08 by By-law No. 868-2010]
 - (1) No person shall discharge wastewater from a private residential salt water swimming pool or hot tub/spa except:
 - (a) To the sanitary sewer, either by:
 - [1] A permanent connection to the sanitary drain on the owner's property; or
 - [2] By way of a temporary connection to the sanitary drain on the owner's property; or
 - (b) By way of a controlled discharge to the owner's property such that the discharge is at all times contained within the owner's property until it evaporates or infiltrates into the ground provided that it does not migrate onto adjacent lands.
 - (2) For the purposes of § 681-11U, "private residential" means a salt water swimming pool serving five or fewer single-family residences.
- V. Notwithstanding § 681-11T or U: [Added 2008-06-24 by By-law No. 577-2008; amended 2010-07-08 by By-law No. 868-2010]
 - (1) Rainwater resting on a tarp which covers a swimming pool or hot tub/spa or wading pool may be discharged to a storm sewer, subject to § 681-4 of this article.
 - (2) Any water or wastewater including rainwater resting on a tarp which covers a swimming pool shall not be discharged to or near a ravine such that it flows to a ravine in a manner that may cause or causes the erosion or instability of the

681-40 2010 - 07 - 08

valley or ravine wall or slope or causes injury or destruction of trees and vegetation.

W. Notwithstanding § 681-11T, U or V: [Added 2008-06-24 by By-law No. 577-2008]

- (1) The backwash water from the swimming pool filter shall be discharged to the sanitary sewer or owner's property in a manner that does not flow on to the street or a neighbouring property; and
- (2) The owner of the swimming pool or hot tub/spa or wading pool, either directly or through a tenant, operator or service contractor, shall comply with the City's *Environmental Best Management Practices for Swimming Pools and Hot Tubs/Spas*.

§ 681-12. Confidential information.

- A. All information submitted to and collected by the City that is contained in plan summaries, reports, surveys, monitoring and inspection and sampling activities will, except as otherwise provided in this section, be available for disclosure to the public in accordance with the *Municipal Freedom of Information and Protection of Privacy Act* (MFIPPA).²⁴
- B. In the event that any person in submitting information to the City or to the General Manager in any form, as required under this article, where such information is confidential or proprietary or otherwise, may be exempt from disclosure under MFIPPA, the person submitting the information shall so identify that information upon its submission to the City or the General Manager and shall provide sufficient details as to the reason for its purported exemption from disclosure. [Amended 2007-06-22 by By-law No. 704-2007]

§ 681-12.1. Contact information.

[Added 2010-07-08 by By-law No. 868-2010]

- A. For administering or enforcing the requirements under this chapter or any other applicable chapter or by-law of the City, the General Manager may require an owner of a property provided with or to be provided with sewer services or to which sewer works are supplied or to be supplied, to provide the General Manager with:
 - (1) That owner's full name and telephone number;
 - (2) The full name and telephone number of any occupiers of the property; and

-

²⁴ Editor's Note: See R.S.O. 1990, c. M.56.

- § 681-12.2
 - (3) The full name and telephone number of a person authorized by the owner to provide the General Manager with access to the sewer services or works or the location where sewer services or sewer works are to be supplied.
- B. Every owner shall provide the General Manager with a current contact name and telephone number within 28 days of a change in ownership or occupancy of a property.

§ 681-12.2. Access.

[Added 2010-07-08 by By-law No. 868-2010]

- A. No person shall deny access to the General Manager to a property for any purpose as provided for in this chapter.
- B. No person shall deny access to the General Manager to a property where that person has been given reasonable notice by the General Manager of the intent to exercise a power of entry in accordance with the *City of Toronto Act*, 2006.²⁵
- C. The General Manager may, in accordance with the requirements of this chapter, enter upon a property to which sewer services or sewer works are used or supplied by the City:
 - (1) To inspect, repair, alter or disconnect the sewer pipe(s), valve(s), machinery, equipment and other works and appurtenances used to supply the sewer services or sewer works:
 - (2) To inspect, install, repair, replace, maintain or alter the sewer services or sewer works; or
 - (3) To shut off or reduce the supply of sewer services.
- D. If an owner discontinues the use of sewer services at a property or the General Manager lawfully decides to cease supplying sewer services to a land or property, the General Manager may enter on the land or property:
 - (1) To shut off or discontinue the use or supply of sewer services by that land or property;
 - (2) To remove any property of the City from the property; or
 - (3) To determine whether sewer services have been, or are being, unlawfully used.
- E. The powers of entry of the City and General Manager are subject to sections 375 to 379, inclusive, of the *City of Toronto Act*, 2006. ²⁶

_

681-42 2010 - 07 - 08

²⁵ Editor's Note: See S.O. 2006, c. 11.

²⁶ Editor's Note: See S.O. 2006, c. 11.

§ 681-13. Self-monitoring and sampling.

[Added 2005-10-28 by By-law No. 867-2005²⁷]

- A. Every owner of an industrial premises shall carry out any monitoring and sampling of any discharge to a sewer, as may be required in writing by an inspector, and provide the results to the inspector in a format acceptable to the inspector within the time specified by the inspector.
- B. An inspector may require that samples obtained under Subsection A be submitted by the owner for analysis by an accredited laboratory, at the owner's expense.
- C. The owner shall supply the results of the analysis in Subsection B to the inspector in a format acceptable to the inspector within the time specified by the inspector.

§ 681-13.1. Powers and authority of the General Manager or Inspector.

[Added 2007-06-22 by By-law No. 704-2007]

A. Power of entry.

The General Manager may, in accordance with the requirements of this chapter, enter upon a property to which sewage services or sewage works are supplied by the City:

- (1) To install, inspect, maintain, repair, alter, replace or disconnect a sewer, municipal sewer connection, subsurface drainage pipe or other sewage works.
- (2) To shut off or reduce the supply of sewage services or sewage works provided by the City.
- (3) The powers of entry of the General Manager may be exercised by an employee, officer or agent of the City.

B. Inspection.

- (1) The General Manager or an Inspector may enter on a property at any reasonable time for the purpose of carrying out an inspection to determine compliance with this chapter or an order or direction of the City or General Manager or an Inspector issued in accordance with this chapter.
- (2) For the purposes of any inspection, the General Manager or an Inspector may:
 - (a) Require the production for inspection of documents or things relevant to the inspection;

681-43 2010 - 07 - 08

 $^{^{27}}$ Editor's Note: This by-law also renumbered former \$\$ 681-13 and 681-14 as \$\$ 681-14 and 681-15, respectively.

- § 681-13.1
 - (b) Inspect and remove documents or things relevant to the inspection for the purpose of making copies or extracts;
 - (c) Require information from any person concerning a matter related to the inspection; and
 - (d) Alone or in conjunction with a person possessing special or expert knowledge, make examinations or take tests, samples or photographs necessary for the purposes of the inspection.
 - (3) No person shall fail or refuse to comply with a request by the General Manager or an Inspector to produce for inspection any document or thing or information relevant to the inspection carried out by the General Manager or Inspector in accordance with § 861-13.1A or 861-13.1B.
 - (4) The City, General Manager or an Inspector may enter upon lands for the purposes of an inspection and the other activities set out in § 861-13.1B pursuant to an order issued in accordance with section 378 of the *City of Toronto Act*, 2006.²⁸ Where a provincial court judge or justice of the peace has issued an order authorizing the City to enter on a property for the purpose of carrying out an inspection for the purposes and to exercise the powers set out in this section, no person, when requested to do so by the General Manager or an Inspector, shall neglect or refuse to produce or deliver any information or documents or things required by this chapter.

C. Obstruction.

- (1) No person shall represent or cause to be represented that he or she is an owner or occupier of a property if he or she is not.
- (2) No person shall prevent, hinder, obstruct or interfere, or attempt to prevent, hinder, obstruct or interfere, in any manner, the General Manager, an Inspector or any City personnel, or agents in the exercise of an activity, power or performance of a duty under this chapter or in the administration or enforcement of this chapter. The activities may include, without limitation, the following:
 - (a) Entering in or upon, at any reasonable time without a warrant, any land, property or premises, except premises being used as a dwelling house in which case reasonable notice shall be provided in accordance with this chapter and the *City of Toronto Act*, 2006²⁹; or
 - (b) Making such tests or taking such samples as the General Manager deems necessary; or

-

²⁸ Editor's Note: See S.O. 2006, c. 11.

²⁹ Editor's Note: See S.O. 2006, c. 11.

- (c) Inspecting or observing any plant, machinery, equipment, work, activity or documents; or
- (d) Repairing, maintaining, altering, disconnecting, removing, replacing, or installing sewage works or any related item.

D. Limitations on power of entry.

The powers of entry of the City, General Manager and Inspector are subject to sections 375 to 379, inclusive, of the City of Toronto Act, 2006.³⁰

§ 681-13.2. General prohibitions and liability for damage.

[Added 2007-06-22 by By-law No. 704-2007]

A. Protection from damage.

No person shall uncover, make any connection with, or opening into, break, alter, damage, destroy, deface or tamper or cause or permit the breaking, damaging, destroying, defacing or tampering with:

- (1) Any part of a sewage works; or
- (2) Any permanent or temporary device installed in any part of the sewage works for the purposes of flow measuring, sampling and testing of sewage, uncontaminated water or storm water.

B. Damage to the sewage works.

Any person discharging sewage, uncontaminated water or storm water to the municipal sewage works shall be responsible for ensuring that such sewage, uncontaminated water or storm water conforms at all times to the provisions of this article and shall be liable for any damage or expense arising out of his or her failure to properly check and control such discharge, including the cost of investigation, repairing or replacing any part of any municipal sewage works damaged thereby and for any damages or injury to any person or property caused by such discharge.

C. Unauthorized entry to sewage works.

Unless specifically authorized by the General Manager, no person shall enter any sewage works.

_

³⁰ Editor's Note: See S.O. 2006, c. 11.

§ 681-14. Offences.

[Amended 2001-02-01 by By-law No. 81-2001; 2010-07-08 by By-law No. 868-2010]

- A. Every person who contravenes any provision of this chapter, and every director or officer of a corporation who knowingly concurs in a contravention by the corporation of any provision of this chapter, is guilty of an offence.
- B. Any fine imposed under § 681-14.1 shall be payable in addition to any fees and charges payable under this chapter, Chapter 849 and Chapter 441, as applicable.

§ 681-14.1. Penalties.

[Added 2010-07-08 by By-law No. 868-2010]

- A. Fine for contravention person, director, officer.
 - (1) Every person who contravenes a provision of this chapter and every director or officer of a corporation who knowingly concurs in a contravention by the corporation of a provision of this chapter, upon conviction, shall be liable to a fine of not more than \$50,000 for a first offence and to a fine of not more than \$75,000 for any subsequent offence.
 - (2) Despite § 681-14.1A(1), every person who contravenes any of the provisions of § 681-2, 681-3 or 681-4 of this chapter and every director or officer of a corporation who knowingly concurs in a contravention by the corporation of any of those sections, upon conviction, shall be liable to a fine of not more than \$50,000 for a first offence and to a fine of not more than \$100,000 for any subsequent offence.
- B. Fine for contravention corporation.

Despite § 681-14.1A, if a corporation is convicted of an offence under this chapter, it shall be liable to a fine of not more than \$100,000 for a first offence and to a fine of not more than \$100,000 for any subsequent offence.

C. Fine - for contravention — continuing offence.

Despite § 681-14.1A and B, in the case of a continuing offence, every person who contravenes any of the sections in this chapter and every director or officer of a corporation who knowingly concurs in a contravention by the corporation of any of the sections in this chapter, upon conviction, shall be liable to a fine of not more than \$10,000 for each day or part day that the offence continues and the total of all of the daily fines for the offence shall not be limited to \$100,000.

681-46 2010 - 07 - 08

§ 681-14.2

D. Fine - for contravention — continuing offence — corporation.

Despite § 681-14.1A, B and C, in the case of a continuing offence, if a corporation is convicted of an offence for any of the sections in this chapter, it shall be liable to a fine of not more than \$10,000 for each day or part day that the offence continues and the total of all of the daily fines for the offence shall not be limited to \$100,000.

E. Special fine.

In addition to any other fine under § 681-14.1A, B, C or D or a combination of the foregoing, every person who gains an economic advantage or economic gain from contravening this chapter shall be liable to a special fine in an amount equal to the fair market value of the economic advantage or economic gain so obtained from the contravention.

§ 681-14.2. General enforcement powers.

[Added 2010-07-08 by By-law No. 868-2010]

A. Restraining order.

If this chapter is contravened, in addition to any other remedy or penalty imposed by this chapter, the contravention may be restrained by application by the City under the provisions of section 380 of the *City of Toronto Act*, 2006. ³¹

B. Order to discontinue activity.

- (1) Under the provisions of section 384 of the *City of Toronto Act*, 2006,³² the General Manager may order any person who has contravened this chapter or who has caused or permitted the contravention of this chapter or the owner or occupier of the property on which the contravention occurred to discontinue the contravening activity.
- (2) Any person who contravenes an order under § 681-14.2B(1) is guilty of an offence.

C. Work order.

(1) Under the provisions of section 385 of the *City of Toronto Act*, 2006,³³ the General Manager may order any person who has contravened this chapter or who has caused or permitted the contravention of this chapter or the owner or occupier of the property on which the contravention occurred to do work to correct the contravention.

681-47 **2010 - 07 - 08**

³¹ Editor's Note: See S.O. 2006, c. 11.

³² Editor's Note: See S.O. 2006, c. 11.

³³ Editor's Note: See S.O. 2006, c. 11.

§ 681-14.3

(2) Any person who contravenes an order under § 681-14.2C(1) is guilty of an offence.

D. Remedial action.

- (1) In accordance with section 386 of the *City of Toronto Act*, 2006,³⁴ where any matter or thing is required to be done under this chapter, in default of it being done by the person directed or required to do so, that matter or thing may be done by the City which shall be at that person's expense and the City may recover the costs incurred for doing such matter or thing from the person directed or required to do it by adding the costs to the tax roll and collecting them in the same manner as municipal property taxes.
- (2) For the purposes of § 681-14.2D(1), the General Manager may enter upon the subject property at any reasonable time.

§ 681-14.3. Document retention.

[Added 2010-07-08 by By-law No. 868-2010]

A. Any document required to be produced for inspection or approval or retained under this chapter by an owner of a property shall be retained by the owner for a period of seven years.

§ 681-14.4. Notice.

[Added 2010-07-08 by By-law No. 868-2010]

- A. Where an order is issued by the General Manager, the person to whom the order is made shall be deemed to have received the order on the date it is posted in a conspicuous place at the subject property or delivered in person or three days after being posted by first class prepaid mail to the person at the last known address provided to the General Manager or, where no address for the person has been provided to the General Manager, by first class prepaid mail to the address for the person identified on the tax rolls.
- B. The manner of delivery, set out in § 681-14.4A, shall be in the discretion of the General Manager.

§ 681-14.5. Severability.

[Added 2010-07-08 by By-law No. 868-2010]

Despite that any section or sections of this chapter, or any part or parts thereof, may be found by any court of law to be invalid or illegal or beyond the power of the Council to

_

³⁴ Editor's Note: See S.O. 2006, c. 11.

enact, that section or sections or part or parts thereof shall be deemed to be severable, and all other sections of this chapter, or parts thereof, are separate and independent therefrom and enacted as such.

§ 681-15. Repealer; impact on existing agreements; effective dates.

- A. Former City of Toronto By-law No. 78-91, A By-law Respecting Sewers and the Discharge and Deposit of Sewage and Land Drainage; former City of North York By-law No. 31442, as amended, A By-law regulating the discharge of sewage and land drainage to the municipal sanitary and storm sewer system; former City of Scarborough By-law No. 17777, A By-law to regulate the discharge into public sewers of sewage and storm water, including industrial wastes; former City of Etobicoke By-law No. 1994-23 Sewer Use By-law; former City of York By-law No. 2880-94, To Regulate the discharge of sewage and land drainage in the City of York; former Borough of East York By-law No. 100-90, To regulate the discharge and deposit of sewage and land drainage in the Borough of East York; and Chapter 292, Sewers, Article III, of the Municipal Code of the former City of Toronto; former North York By-law No. 10532, A By-law for requiring of the connection to be made to sanitary sewer, are hereby repealed. [Amended 2001-02-01 by By-law No. 81-2001; 2008-06-24 by By-law No. 577-2008]
- B. Notwithstanding § 681-15A, industrial waste surcharge agreements and sanitary discharge agreements entered into by the former Municipality of Metropolitan Toronto, or a compliance program issued by the General Manager or a compliance program agreement entered into by the City pursuant to the provisions of the former Metro Toronto By-law No. 153-89, as amended, and in effect immediately prior to the passage of this article, remain in force in accordance with their terms and conditions. [Amended 2000-10-05 by By-law No. 869-2000; 2007-06-22 by By-law No. 704-2007]
- C. This article, with the exception of §§ 681-2 and 681-4, shall come into force on the 6th day of July, A.D. 2000. Sections 681-2 and 681-4 of this article shall come into force on November 1, 2002. [Amended 2002-06-20 by By-law No. 547-2002]
- D. By-law No. 153-89 of the former Municipality of Metropolitan Toronto, a By-law "To regulate the discharge of sewage and land drainage in the Metropolitan Area," with the exception of Sections 2 and Section 3, is hereby repealed. Sections 2 and 3 of By-law No. 153-89 of the former Municipality of Metropolitan Toronto shall be deemed to be in force, throughout the City of Toronto until November 1, 2002. Sections 2 and 3 of the former Municipality of Metropolitan Toronto By-law No. 153-89 are repealed as of November 1, 2002. [Amended 2001-02-01 by By-law No. 81-2001; 2002-06-20 by By-law No. 547-2002]
- E. Former Metropolitan Toronto By-law No. 96-80, as amended, a by-law to regulate the discharge of water obtained from a private water works system into the

681-49 2010 - 07 - 08

§ 681-15

Metropolitan sewer system and to charge a rate therefor, is repealed. [Added 2002-10-31 by By-law No. 855-2002]

681-50 2010 - 07 - 08

CHAPTER 681, ARTICLE I APPENDIX 1 SUBJECT SECTORS

[Amended 2002-02-15 by By-law No. 80-2002³⁵; 2008-06-24 by By-law No. 577-2008]

Column 1	Column 2	Column 3	Column 4
NAICS	Industrial Category	Initial P2 Plan Due Date	Six Year P2 Plan Due Date
212299	All Other Metal Ore Mining	30-Jun-2001	30-Jun-2007
212399	All Other Nonmetallic Mineral Mining	30-Jun-2001	30-Jun-2007
213114	Support Activities for Metal Mining	30-Jun-2001	30-Jun-2007
213115	Support Activities for Nonmetallic Minerals (except Fuels)	30-Jun-2001	30-Jun-2007
327999	All Other Miscellaneous Nonmetallic Mineral Product Manufacturing (pt)	30-Jun-2001	30-Jun-2007
331112	Electrometallurgical Ferroalloy Product Manufacturing	30-Jun-2001	30-Jun-2007
331419	Primary Smelting and Refining of Nonferrous Metal	30-Jun-2001	30-Jun-2007
331491	Nonferrous Metal (except Copper and Aluminum) Rolling, Drawing, and Extruding (pt)	30-Jun-2001	30-Jun-2007
331492	Secondary Smelting, Refining, and Alloying of Nonferrous Metal (except Copper and Aluminum) (pt)	30-Jun-2001	30-Jun-2007
332116	Metal Stamping	30-Jun-2001	30-Jun-2007
332117	Powder Metallurgy Part Manufacturing	30-Jun-2001	30-Jun-2007
332311	Prefabricated Metal Building and Component Manufacturing	30-Jun-2001	30-Jun-2007
332312	Fabricated Structural Metal Manufacturing	30-Jun-2001	30-Jun-2007
332321	Metal Window and Door Manufacturing	30-Jun-2001	30-Jun-2007
332322	Sheet Metal Work Manufacturing	30-Jun-2001	30-Jun-2007

35 Editor's Note: This by-law came into force 2001-11-06.

681-51 **2010 - 07 - 08**

Column 1	Column 2	Column 3	Column 4
NAICS	Industrial Category	Initial P2 Plan Due Date	Six Year P2 Plan Due Date
332323	Ornamental and Architectural Metal Work Manufacturing	30-Jun-2001	30-Jun-2007
332420	Metal Tank (Heavy Gauge) Manufacturing	30-Jun-2001	30-Jun-2007
332431	Metal Can Manufacturing	30-Jun-2001	30-Jun-2007
332439	Other Metal Container Manufacturing	30-Jun-2001	30-Jun-2007
332811	Metal Heat Treating	30-Jun-2001	30-Jun-2007
332812	Metal Coating, Engraving (except Jewelry and Silverware), and Allied Services to Manufacturers	30-Jun-2001	30-Jun-2007
332813	Electroplating, Plating, Polishing, Anodizing, and Coloring	30-Jun-2001	30-Jun-2007
332919	Other Metal Valve and Pipe Fitting Manufacturing	30-Jun-2001	30-Jun-2007
332998	Enameled Iron and Metal Sanitary Ware Manufacturing	30-Jun-2001	30-Jun-2007
332999	All Other Miscellaneous Fabricated Metal Product Manufacturing (pt)	30-Jun-2001	30-Jun-2007
333512	Machine Tool (Metal Cutting Types) Manufacturing	30-Jun-2001	30-Jun-2007
333513	Machine Tool (Metal Forming Types) Manufacturing	30-Jun-2001	30-Jun-2007
333518	Other Metalworking Machinery Manufacturing	30-Jun-2001	30-Jun-2007
334412	Bare Printed Circuit Board Manufacturing	30-Jun-2001	30-Jun-2007
334416	Electronic Coil, Transformer, and Other Inductor Manufacturing	30-Jun-2001	30-Jun-2007
33637	Motor Vehicle Metal Stamping	30-Jun-2001	30-Jun-2007
337124	Metal Household Furniture Manufacturing	30-Jun-2001	30-Jun-2007

681-52 2010 - 07 - 08

Column 1	Column 2	Column 3	Column 4
NAICS	Industrial Category	Initial P2 Plan Due Date	Six Year P2 Plan Due Date
337125	Household Furniture (except Wood and Metal) Manufacturing	30-Jun-2001	30-Jun-2007
313111	Yarn Spinning Mills	31-Dec-2001	31-Dec-2007
313112	Yarn Texturizing, Throwing, and Twisting Mills	31-Dec-2001	31-Dec-2007
313113	Thread Mills	31-Dec-2001	31-Dec-2007
313210	Broadwoven Fabric Mills	31-Dec-2001	31-Dec-2007
313221	Narrow Fabric Mills	31-Dec-2001	31-Dec-2007
313230	Nonwoven Fabric Mills	31-Dec-2001	31-Dec-2007
313241	Weft Knit Fabric Mills	31-Dec-2001	31-Dec-2007
313249	Other Knit Fabric and Lace Mills	31-Dec-2001	31-Dec-2007
313311	Broadwoven Fabric Finishing Mills	31-Dec-2001	31-Dec-2007
313312	Textile and Fabric Finishing (except Broadwoven Fabric) Mills	31-Dec-2001	31-Dec-2007
313320	Fabric Coating Mills	31-Dec-2001	31-Dec-2007
314110	Carpet and Rug Mills	31-Dec-2001	31-Dec-2007
314991	Rope, Cordage, and Twine Mills	31-Dec-2001	31-Dec-2007
314992	Tire Cord and Tire Fabric Mills	31-Dec-2001	31-Dec-2007
314999	All Other Miscellaneous Textile Product Mills	31-Dec-2001	31-Dec-2007
315111	Sheer Hosiery Mills	31-Dec-2001	31-Dec-2007
315119	Other Hosiery and Sock Mills	31-Dec-2001	31-Dec-2007
315191	Outerwear Knitting Mills	31-Dec-2001	31-Dec-2007
315192	Underwear and Nightwear Knitting Mills	31-Dec-2001	31-Dec-2007
323110	Commercial Lithographic Printing	31-Dec-2001	31-Dec-2007
323111	Commercial Gravure Printing	31-Dec-2001	31-Dec-2007
323112	Commercial Flexographic Printing	31-Dec-2001	31-Dec-2007
323113	Commercial Screen Printing	31-Dec-2001	31-Dec-2007

681-53 2010 - 07 - 08

Column 1	Column 2	Column 3	Column 4	
NAICS	Industrial Category	Initial P2 Plan Due Date	Six Year P2 Plan Due Date	
323114	Quick Printing	31-Dec-2001	31-Dec-2007	
323116	Manifold Business Forms Printing	31-Dec-2001	31-Dec-2007	
323117	Books Printing	31-Dec-2001	31-Dec-2007	
323119	Other Commercial Printing	31-Dec-2001	31-Dec-2007	
325910	Printing Ink Manufacturing	31-Dec-2001	31-Dec-2007	
339116	Dental Laboratories	31-Dec-2001	31-Dec-2007	
447110	Gasoline Stations with Convenience Store	31-Dec-2001	31-Dec-2007	
447190	Other Gasoline Stations	31-Dec-2001	31-Dec-2007	
481111	Scheduled Passenger Air Transportation	31-Dec-2001	31-Dec-2007	
481112	Scheduled Freight Air Transportation	31-Dec-2001	31-Dec-2007	
481211	Nonscheduled Chartered Passenger Air Transportation	31-Dec-2001	31-Dec-2007	
481212	Nonscheduled Chartered Freight Air Transportation	31-Dec-2001	31-Dec-2007	
485210	Interurban and Rural Bus Transportation	31-Dec-2001	31-Dec-2007	
485410	School and Employee Bus Transportation	31-Dec-2001	31-Dec-2007	
485991	Special Needs Transportation	31-Dec-2001	31-Dec-2007	
485999	All Other Transit and Ground Passenger Transportation	31-Dec-2001	31-Dec-2007	
487110	Scenic and Sightseeing Transportation, Land	31-Dec-2001	31-Dec-2007	
487990	Scenic and Sightseeing Transportation, Other	31-Dec-2001	31-Dec-2007	
488210	Support Activities for Rail Transportation	31-Dec-2001	31-Dec-2007	
488490	Other Support Activities for Road Transportation	31-Dec-2001	31-Dec-2007	
541380	Testing Laboratories	31-Dec-2001	31-Dec-2007	
621210	Offices of Dentists	31-Dec-2001	31-Dec-2007	

681-54 2010 - 07 - 08

Column 1	Column 2	Column 3	Column 4
NAICS	Industrial Category	Initial P2 Plan Due Date	Six Year P2 Plan Due Date
621511	Medical Laboratories	31-Dec-2001	31-Dec-2007
622110	General Medical and Surgical Hospitals	31-Dec-2001	31-Dec-2007
622210	Psychiatric and Substance Abuse Hospitals	31-Dec-2001	31-Dec-2007
622310	Specialty (except Psychiatric and Substance Abuse) Hospitals	31-Dec-2001	31-Dec-2007
811111	General Automotive Repair	31-Dec-2001	31-Dec-2007
811112	Automotive Exhaust System Repair	31-Dec-2001	31-Dec-2007
811113	Automotive Transmission Repair	31-Dec-2001	31-Dec-2007
811118	Other Automotive Mechanical and Electrical Repair and Maintenance	31-Dec-2001	31-Dec-2007
811121	Automotive Body, Paint, and Interior Repair and Maintenance	31-Dec-2001	31-Dec-2007
811191	Automotive Oil Change and Lubrication Shops	31-Dec-2001	31-Dec-2007
811192	Car Washes	31-Dec-2001	31-Dec-2007
811198	All Other Automotive Repair and Maintenance	31-Dec-2001	31-Dec-2007
812320	Dry cleaning and Laundry Services (except Coin-Operated)	31-Dec-2001	31-Dec-2007
812921	Photofinishing Laboratories (except One-Hour)	31-Dec-2001	31-Dec-2007
812922	One-Hour Photofinishing	31-Dec-2001	31-Dec-2007
31611	Leather and Hide Tanning and Finishing	30-Jun-2002	30-Jun-2008
316993	Personal Leather Good (except Women's Handbag and Purse) Manufacturing	30-Jun-2002	30-Jun-2008
316999	All Other Leather Good Manufacturing	30-Jun-2002	30-Jun-2008
324110	Petroleum Refineries	30-Jun-2002	30-Jun-2008
324121	Asphalt Paving Mixture and Block Manufacturing	30-Jun-2002	30-Jun-2008

681-55 2010 - 07 - 08

Column 1	Column 2	Column 3	Column 4
NAICS	Industrial Category	Initial P2 Plan Due Date	Six Year P2 Plan Due Date
324122	Asphalt Shingle and Coating Materials Manufacturing	30-Jun-2002	30-Jun-2008
324191	Petroleum Lubricating Oil and Grease Manufacturing	30-Jun-2002	30-Jun-2008
324199	All Other Petroleum and Coal Products Manufacturing	30-Jun-2002	30-Jun-2008
325110	Petrochemical Manufacturing	30-Jun-2002	30-Jun-2008
325188	All Other Basic Inorganic Chemical Manufacturing	30-Jun-2002	30-Jun-2008
325191	Gum and Wood Chemical Manufacturing	30-Jun-2002	30-Jun-2008
325199	All Other Basic Organic Chemical Manufacturing	30-Jun-2002	30-Jun-2008
325211	Plastics Material and Resin Manufacturing	30-Jun-2002	30-Jun-2008
325320	Pesticide and Other Agricultural Chemical Manufacturing	30-Jun-2002	30-Jun-2008
325412	Pharmaceutical Preparation Manufacturing	30-Jun-2002	30-Jun-2008
325510	Paint and Coating Manufacturing	30-Jun-2002	30-Jun-2008
325611	Soap and Other Detergent Manufacturing	30-Jun-2002	30-Jun-2008
325992	Photographic Film, Paper, Plate, and Chemical Manufacturing	30-Jun-2002	30-Jun-2008
325998	All Other Miscellaneous Chemical Product and Preparation Manufacturing	30-Jun-2002	30-Jun-2008
326160	Plastics Bottle Manufacturing	30-Jun-2002	30-Jun-2008
326191	Plastics Plumbing Fixture Manufacturing	30-Jun-2002	30-Jun-2008
326199	All Other Plastics Product Manufacturing	30-Jun-2002	30-Jun-2008

NOTES:

NAICS = North American Industrial Classification System

CHAPTER 681, ARTICLE I APPENDIX 2 SUBJECT POLLUTANTS

[Amended 2008-06-24 by By-law No. 577-2008]

Arsenic 1,1,2,2-tetrachloroethane
Cadmium 1,2-dichlorobenzene
Chromium 1,4-dichlorobenzene
Cobalt 3,3'-dichlorobenzidine
Aldrin/dieldrin

Lead Alkylphenol ethoxylates
Alkylphenols

Mercury Alkylphenol Benzene

Molybdenum Bis (2-ethylhexyl) phthalate

Nickel Chlordane Selenium Chloroform

Zinc Cis-1,2-dichloroethylene

DDT

Di-n-butyl phthalate

Ethyl benzene

Hexachlorobenzene Hexachlorocyclohexane Methylene chloride

Mirex PCBs

Pentachlorophenol Tetrachloroethylene


Toluene Total PAHs Total xylene

Trans-1,3-dichloropropylene

Trichloroethylene

681-57 2010 - 07 - 08

CHAPTER 681, ARTICLE I ATTACHMENT 1 FIGURE 1. CITY OF TORONTO COMBINED SEWER SERVICE AREA [Added 2007-11-20 by By-law No. 1252-2007³⁶]




 $^{^{\}rm 36}$ Editor's Note: This by-law comes into force three years from the date of its enactment.

681-59 **2010 - 07 - 08**

CHAPTER 681, ARTICLE I ATTACHMENT 2 FIGURE 2. CITY OF TORONTO BASEMENT FLOODING AREAS (OUSIDE THE CSO AREAS)

[Added 2008-12-03 by By-law No. 1255-2008³⁷]



681-61 2010 - 07 - 08

 $^{^{\}rm 37}$ Editor's Note: This by-law comes into force five years from the date of its enactment.